Burmatex®

cordiale

low carbon carpet tiles & sheet

August 2024

extremely durable fine ribbed carpet

Made from solution dyed fibres including 5% recycled polyester and our unique **BioBase®** recycled backing, **cordiale** is low carbon.

cordiale is an extremely durable fine ribbed carpet, available in tile or sheet making it easy to maintain, and features anti-fray and anti-ravel technology.

The palette of 40 colours is an ideal choice for use in schools, colleges and universities, perfect for heavy footfall environments.

for use in schools and colleges

cordiale colour palette

diamond	silver	clouds	charcoal	ebony
storm	horizon	denim	ocean	ink
sky	sapphire	atlantis	ultramarine	midnight
stones	honey	sand	earth	electric
saffron	tangerine	crimson	paprika	cherry
sagebrush	fern	lime	emerald	sea
aqua	peacock	turquoise	lavender	lilac
mauve	rose	orchid	violet	indigo

LRV values

Product code tiles	Product code sheet	Product colour name	CIE Y
12105	12005	diamond	11.70
12160	12060	silver	8.32
12103	12003	clouds	6.07
12102	12002	charcoal	3.19
12101	12001	ebony	2.35
12104	12004	storm	9.05
12119	12019	horizon	8.23
12117	12017	denim	5.83
12161	12061	ocean	4.10
12107	12007	ink	2.73
12181	12081	sky	6.67
12162	12062	sapphire	3.44
12114	12014	atlantis	3.79
12163	12063	ultramarine	3.85
12164	12064	midnight	2.27
12191	12091	stones	14.76
12134	12034	honey	13.24
12178	12078	sand	7.48
12165	12065	earth	4.51
12166	12066	electric	5.36
12167	12067	saffron	21.24
12168	12068	tangerine	14.14
12169	12069	crimson	5.88
12185	12085	paprika	4.52
12170	12070	cherry	2.93
12171	12071	sagebrush	8.16
12172	12072	fern	7.37
12130	12030	lime	8.83
12183	12083	emerald	4.97
12125	12025	sea	6.59
12182	12082	aqua	9.40
12173	12073	peacock	6.72
12122	12022	turquoise	5.02
12113	12013	lavender	5.32
12174	12074	lilac	7.84
12184	12084	violet	2.71
12175	12075	mauve	9.62
12176	12076	rose	5.73
12177	12077	orchid	3.72
12180	12080	indigo	3.20

technical specifications

	tiles	sheet
Fibre Composition	80% Polypropylene 15% Nylon 5% Recycled Polyester	80% Polypropylene 15% Nylon 5% Recycled Polyester
Dimensions	50cm x 50cm	30m x 2m
Pile Weight	950g/m²	
Total Weight	4200g/m²	950g/m²
Total Thickness	7.8mm	6mm
Backing	**BioBase® recycled** backing (recycled BS EN ISO 14021)	
Wear Classification	Heavy Contract	Heavy Contract
Castor Chair Rating	Pass - continuous use (BS EN 985)	Pass - continuous use (BS EN 985)
Flammability	Euroclass Bfl-s1	Euroclass Bfl-s1
Static Loading	BS 4939: 1987 (2003) Recovery >80% (24hrs)	BS 4939: 1987 (2003) Recovery >80% (24hrs)
Reduction in Impact Noise	BS EN ISO 10140-3:2010 18dB	BS EN ISO 10140-3:2010 18dB
Warranty	15 years	15 years
Number of Tiles per Box	20 (5m²)	

quarter turn

CE
07
2895-CPR-SH00987
EN 14041:2004
/AC:2006
Bfl-s1 NPD

UKCA
22
0338-CPR-1005
EN 14041:2004
/AC:2006
Bfl-s1 NPD

EPD

bsi
ISO 9001 Quality Management Systems CERTIFIED
ISO 14001 Environmental Management CERTIFIED
FM 01440   EMS 784147

---

eco₂matters®

We are committed to helping deliver a sustainable future, because we believe that what we do **matters**. To help us deliver on this commitment, we have developed eco₂matters®, our sustainability principles, supported by independent 3rd party verification.

NET ZERO
Journey to Net Zero & Beyond

Positive Environmental Impact

Social Values & Well Being

Made from solution dyed fibres including 5% recycled polyester and our unique **BioBase®** recycled backing, **cordiale** is **low carbon**. The extremely durable fine ribbed carpet, available in tile or sheet making it easy to maintain, and features **anti-fray** and **anti-ravel** technology. The palette of 40 colours is an ideal choice for use in schools, colleges and universities, perfect for heavy footfall environments.

low carbon — **cordiale** is **low carbon**

anti fray anti ravel — **cordiale** features **anti-fray**/**anti-ravel** technology

BioBase® backing — **cordiale** tiles use **BioBase® recycled** backing

recovery take back service — Burmatex® **reco₂very** take back service provides a no landfill solution for your used tiles

100% certified renewable — Burmatex® products are made using 100% certified **renewable** electricity

independently 3rd party verified — eco₂matters® declarations are independently 3rd party verified

EPD
Burmatex® products are supported by 3rd party independently verified, product specific EPD's

LEED
Burmatex® products contribute towards Leed accreditation

SKA
Burmatex® products adhere to SKA standards

WELL Building Standards
Burmatex® products contribute to WELL Building Standards

cfa
CONTRACT FLOORING ASSOCIATION

NBS BIM

need a BIM object?
all our products have BIM objects available on our website

For more information about
cordiale **low carbon** carpet tiles
Visit **www.burmatex.co.uk/cordiale**

Need **advice**? Help with the **design**?
Call your Busines Area Manager

Need a go to shadecard or samples?

Scan the QR code
Call +44 (0) 1924 262525
Email samples@burmatex.co.uk

Burmatex®

MANUFACTURERS OF CREATIVE FLOORING 🇬🇧

KEEP IN TOUCH

🔲 in 𝓟

Burmatex Ltd
Victoria Mills, The Green,
Ossett, West Yorkshire
WF5 0AN