



# WOODPECKER

NATURALLY INSPIRED FLOORING

2022 | 2023

THE  
LINE

the line  
the descendants of a common ancestor,  
a row of trees,  
a cord used in measuring or levelling,  
a long, thin mark made by a pencil, pen or chalk,  
a similar mark cut in a hard surface,  
a crease in the palm,  
a plan of; making or doing,  
an assembly of merchandise,  
a course of conduct, action, explanation,  
a person's trade or occupation,  
a furrowed brow,  
a stock of goods of a particular type,  
the field of one's special knowledge,  
a short letter or note,  
a row of persons waiting in turn.

Follow the line from us to you.






From generations past and  
for generations to come.

From our family to yours...  
for 100 years.

*Woodpecker*

# HELPING YOU FIND YOUR PERFECT FLOOR


Whether it's a traditional solid plank, a resilient engineered floor or durable and waterproof wood design Brecon, we'll make it easy to find the right choice for your room.



26-33

## LYNTON ENGINEERED


With a real wood top layer and built-in underlay, this is a truly innovative range.



34-41

## SALCOMBE ENGINEERED


A wide range of subtle shades bringing the light and vitality of the seashore into your home.



18-23

## YORK SOLID WOOD


A premium solid wood board in a range of elegant finishes.



42-55

## HARLECH ENGINEERED


The timeless elegance of classic oak across a spectrum of striking finishes.



56-73

## GOODRICH ENGINEERED


A stunning collection of parquet and chevron engineered floors.



74-79

## HIGHCLERE ENGINEERED


Bigger, bolder herringbone planks for an elegant statement design with a twist.



80-89

## CHEPSTOW ENGINEERED


Majestic, thick, traditionally oiled engineered boards.



90-103

## BERKELEY ENGINEERED


Hand-worked extra rustic Oak & Pine and beautifully sleek Walnut.



104-111

## DESIGN PANELS ENGINEERED

Our luxurious range of elegant design panels for a statement look.



114-131

## BRECON WOOD DESIGN

Waterproof and durable boards with built-in underlay and realistic deep emboss woodgrain effect.





## Contents

### WHY WOODPECKER

6 THE WOODPECKER STORY

9 100 YEAR WARRANTY

11 COMMITMENT TO SUSTAINABILITY

12 GRADING, PROCESS & FINISHES

---

### SOLID WOOD FLOORING

18 YORK

### ENGINEERED FLOORING

26 LYNTON

34 SALCOMBE

42 HARLECH

56 GOODRICH

74 HIGHCLERE

80 CHEPSTOW

90 BERKELEY

104 DESIGN PANELS

### WOOD DESIGN FLOORING

114 BRECON

---

### 132 A GUIDE TO YOUR NEXT STEPS

---

#### ACCESSORIES

134 SUBFLOOR

136 GLUE & UNDERLAYS

138 TRIMS

144 FINISHING TOUCHES

146 CLEANING & CARE

---

#### TECHNICAL

151 PREPARATION

152 FIXING

---

154 RANGE AT A GLANCE

---



## THE WOODPECKER STORY

# FOR 100 YEARS GONE, AND FOR 100 YEARS TO COME

The Woodpecker story began in 1973 in a small garage in Bristol. Started by Bruce Ker, the passion for wood and commitment to deliver the absolute best has been handed down through 3 generations to his son Nelson, and grandson Darwyn today.



*From humble beginnings...*



Nelson and Darwyn



A passion for wood



## FROM OUR FAMILY TO YOURS

Today our extended family of 'Woodpeckers' are committed to those same values, genuinely caring and doing whatever it takes to make the difference for you and your family.






YOU CAN WATCH THE  
WOODPECKER STORY VIDEO HERE:  
[woodpeckerflooring.co.uk/the-woodpecker-story/](http://woodpeckerflooring.co.uk/the-woodpecker-story/)



### THE STORY OF OUR FLOORS

It begins long before this. Every Woodpecker floor started its life over 100 years ago, and tells its own story that will stand the test of time in your home.



A family business



### FOR 100 YEARS

Our promise to you is that your Woodpecker floor will continue its story, bringing life and warmth to your home – guaranteed for 100 years to come.



### LEAVING A LEGACY...

Planting the Woodpecker forest of tomorrow and becoming carbon negative by 2030 – this is our commitment to building a better future that generations to come will be proud of.

From 100 years past and for 100 years to come, Woodpecker is with you every step of the way on your journey to find the perfect floor.



For 100 years...

...from our family  
to yours for 100 years.







100 YEAR WARRANTY  
**WOODPECKER**



## WOODPECKER PROMISE



Peace of mind  
for generations to come.

We are proud to bring you a unique  
Woodpecker 100 year warranty.

A deep passion and knowledge of wood means  
we are confident that our wooden floors  
endure more than a lifetime, increasing in depth  
and character over time as their story becomes  
a part of your home.

Carefully grown, selected and crafted by  
experts, every plank is a reflection of our  
commitment to you and your home.

Our promise to you – beautiful floors and  
peace of mind, for 100 years.

Please note that our Lynton and Brecon floors continue to  
offer a market leading 25 year warranty.

For T&Cs, please visit:  
[woodpeckerflooring.co.uk/100-year-warranty/](http://woodpeckerflooring.co.uk/100-year-warranty/)







## WOODPECKER PROMISE

SERIOUS ABOUT  
SUSTAINABILITY

Leaving a legacy,  
for generations to come.

As a company with a rich past, benefiting every day from the commitments our ancestors made, nothing is more important to us than the legacy we leave for future generations.



The mark of  
responsible forestry

All our wood is sourced from responsibly managed, sustainable forests and is fully certified to the highest standards.



We have committed to Woodpecker being the first carbon negative flooring company, fully compliant by 2030.



We are creating the Woodpecker forest of tomorrow, planting 50,000 oak saplings around our home in South Wales.



Our packaging is now made of recycled board and is fully recyclable.

We are the ancestors of tomorrow; our legacy matters.


CHOOSE WHAT'S PERFECT  
FOR YOU AND YOUR HOME

## FLOORING RANGES AND GRADING


Sometimes it's hard to see the wood from  
the trees - let us help you narrow it down.



- ✓ Solid, traditional structure
- ✓ Each board is precision milled from a single piece of timber
- ✓ Robust and characterful




- ✓ Advanced construction for extra stability and versatility
- ✓ Engineered core with a beautiful real wood top layer
- ✓ Suitable for underfloor heating



- ✓ Waterproof and incredibly stable
- ✓ Mineral composite core plus built-in underlay
- ✓ Woodgrain effect embossed vinyl top layer





Sapwood

Hartwood



## WHAT THE EXPERTS SAY

## COLOUR VARIATION

All Woodpecker floors feature beautiful colour variations which naturally occur in real wood. Due to this authentic effect, please be aware that your floor may include a range of lighter and darker shades, as shown in this picture. More intense colour variations may also be found where sapwood is present in the wood. Sapwood is the younger, outer part of the tree, which is lighter in colour than the retired, inner part called Hartwood, and makes up the majority of our wood floors.

## UNDERSTANDING GRADING

Clean



Character

## SELECT

This grade looks natural yet consistent, with few knots. Up to 10% sapwood can be found in select boards along with considerable grain and colour variation, but only small knots.

Select boards can be found in York and Harlech, on page 23 and 55.

## RUSTIC


More of the wood's character shines through in rustic floors – including large knots, dark streaks, filled knots and colour variation. Again, up to 10% sapwood is likely in this grade.

Harlech Rustic Oak is an example of a beautiful rustic grade, as seen on page 48.

## EXTRA RUSTIC

Very little is graded out in the extra rustic category. Large knots, splits, cracks and sapwood makes this a characterful choice, meaning that your floor will be all that more distinctive.

Berkeley Cathedral Oak truly encompasses all of the features of an extra rustic floor, found on page 98.





REAL WOOD  
BROUGHT TO LIFE

## PROCESSES AND FINISHES

### TUMBLED EDGES

Irregular contours for an antique effect.

### CHATTER MARKS

Ripples and texture on a plank's edge that make every board unique.

### SCORCHED

Flamed by hand to add blackened depth.

### HANDSCRAPED

Rippled finish, an aged look, smooth to the touch.

### DISTRESSED

A charming timeworn appeal.

### SMOKED

Intensified colour variation and contrast.

### STAINED

Added character and natural tones.

### BRUSHED

Subtly highlights texture to the eye and touch.

### SAW MARKS

Evoking the feel of freshly sawn timber.



## DIFFERENT BOARD EDGES

### SQUARE



This clean finish suits modern decor very well and can give the illusion of a bigger room.

### BEVELLED



For the characterful and traditional appearance of classic floorboards.



**UNFINISHED**  
Natural and authentic

These boards are supplied with pre-filled knots and are pre-sanded too, ready to add your desired finish, as seen in Chepstow Rustic Oak Unfinished on page 82.



**OILED**  
Oil brings wood to life



Five to seven coats of oil are cured to create a harder finish that beautifully allows the character of the wood to sing. You can see an oiled finish on boards such as Chepstow Washed Oak, on page 83.

**HARDWAX OIL**  
An authentic feel

Two to three coats of oil painstakingly applied by hand and air dried, creating a board that feels natural to touch. As the natural oils are absorbed over time, reapplication of a protective oil is recommended. This finish can be seen on our luxurious Design Panels, from page 104.

**MATT LACQUERED**  
Smooth and hard wearing

A hard-wearing layer of matt lacquer creates a dull satin sheen. This is more resilient than an oiled finish as the lacquer creates a protective layer on the wood instead of being absorbed. Goodrich Smoked Oak is an example of this finish, seen on page 64.



**LACQUERED**  
Extremely smooth and glossy

A higher sheen level than matt lacquer gives a sleek modern look to these boards. You can find a lacquered finish on Berkeley Classic Walnut, page 99.



TIMELESS QUALITY

# SOLID WOOD FLOORING

For a naturally beautiful floor  
that will last a lifetime.

Nothing beats solid wood for a timeless natural texture and a robust feel beneath your feet. For a solid, traditional structure, each board is precision milled from a single piece of timber that has been carefully chosen and graded, then machined with tongue and groove on all edges, to ensure a perfect fit when installed.

Our solid wood boards are carefully selected and harvested from responsibly managed forests in Europe and the Americas. From a traditional rustic oiled finish to a striking hand-scraped statement board, our solid wood range offers choices to complement both contemporary and traditional interior design.




The mark of  
responsible forestry

All of our solid  
wood floors are  
responsibly sourced  
with FSC® certification.



PEACE OF MIND FOR  
GENERATIONS TO COME





#### SELECTING THE BEST

The wood's natural texture is enhanced through a range of different finishes, each of which brings out a beautiful element of its character - distinctive grain patterns, mellow hues and rustic textures.







---

SOLID WOOD FLOORING

# YORK

TIMELESS, ROBUST  
AND CHARACTERFUL

---

A premium solid wood board  
in a range of elegant finishes

---



# Timeless, Robust and Characterful

## YORK | WHITE WASHED OAK

RUSTIC | BRUSHED & MATT LACQUERED



36-YWW-150 | 150mm x Random Lengths | 1.98m<sup>2</sup>/pack **£96m<sup>2</sup>**

These whitewashed boards evoke the sandy tones and airy feel of the seaside. Bright flaxen hues meet striking knots and a subtly textured surface.

## YORK | RUSTIC OAK

RUSTIC | OILED | LACQUERED



© 36-YRO-150 | 150mm x Random Lengths | 1.98m<sup>2</sup>/pack **£91m<sup>2</sup>**

Ⓛ 36-YOR-150 | 150mm x Random Lengths | 1.98m<sup>2</sup>/pack **£91m<sup>2</sup>**

A traditional floor with rich honey hues and a medley of plank lengths with elegant knots, dark streaks and filled cracks.

### JOINT TYPE



Tongue & Groove | Easiloc

### FITTING METHOD



Glued | Secret Nail | Floated

### LENGTH



Random length planks

### HEATING



Underfloor | Tog Rating

### THICKNESS



18mm

### EDGES




Bevelled



100 YEARS

## SOLID AND TRADITIONAL

Classic knots and swirling grain patterns create a traditional look with beautiful texture. As oak ages, it also becomes richer and deeper in colour making a floor that seems to live and mature with you.



## YORK | TAWNY OAK

RUSTIC | BRUSHED & MATT LACQUERED



36-YTO-150 | 150mm x Random Lengths | 1.98m<sup>2</sup>/pack **£96m<sup>2</sup>**

Presenting subtle brushed out grain textures accentuated with rich burnt coffee tones, this elegant floor enhances the natural light and beauty of any room setting.

⊙ = Oiled finish

Ⓛ = Lacquered finish

⬠ = Part of the 'Legacy' range



AUTHENTICALLY CRAFTED

# WOODPECKER

## LEGACY

Our Legacy range includes our most beautiful and extraordinary boards for a striking statement look. From the beauty of extra wide boards, to the refined look of hand-picked select grades and exquisite hand finishing, these floors are truly distinctive and special.

### EXTRA WIDE BOARDS

At a generous 240mm, Legacy premium width boards showcase more of the natural beauty of wood, for a contemporary and sophisticated look.

CHEPSTOW | DISTRESSED CHARCOAL OAK 240MM



### HAND FINISHING

These handfinished Legacy boards are individually crafted with traditional tools and methods to create exquisite tonal and textural effects, every board unique.

*Chatter marks*

BERKELEY | COTTAGE OAK

*Saw marks*

GOODRICH | SALTED OAK

*Scorched boards*

BERKELEY | CHARTERHOUSE OAK

### SELECT GRADES

Only the most refined timber cuts are picked for Legacy Select, with minimal knots for a consistent, elegant effect.

HARELCH | SELECT OAK

### DESIGN PANELS

The effortless elegance of our luxurious design panels belies the painstaking process of each panel measured, prepared and assembled by hand, to craft a mini-masterpiece every time.

SANDRINGHAM | ROYAL OAK

# WOODPECKER LEGACY

## YORK | SELECT OAK

SELECT | BRUSHED & MATT LACQUERED



36-YBM-150 | 150mm x Random Lengths | 1.98m<sup>2</sup>/pack **£127m<sup>2</sup>**

Celebrating the beauty found in timber's more refined details, the wood for these boards is handpicked to ensure only small knots are included for a consistent look across the floor.

## YORK | ANTIQUE OAK

RUSTIC | LACQUERED



36-YOA-150 | 150mm x Random Lengths | 1.98m<sup>2</sup>/pack **£113m<sup>2</sup>**

Full of character, with a painstakingly hand scraped surface. Copper hues flow throughout the oak's rich chocolate colours, enhanced with subtle shade variations for a truly antiqued effect.



THE BEAUTY OF REAL WOOD

# ENGINEERED WOOD FLOORING

## For added versatility and practicality

With a substantial real wood top layer, Woodpecker engineered flooring combines the beautiful character and style of a solid timber floor with the exceptional performance of our engineered board construction.

With a choice of core type - Stratex® mineral composite or cross-layered softwood or plywood - this advanced construction adds stability and balance to every board, minimising expansion, contraction and warping.

Offering you the classic good looks of solid wood as well as outstanding versatility, engineered flooring is a perfect and practical solution for today's homes.



All our wood is sourced from responsibly managed, sustainable forests and is fully certified to the highest standards.



PEACE OF MIND FOR GENERATIONS TO COME

*Please note that our Lynton Engineered floor offers a 25 year warranty.*



CHEPSTOW | ANTIQUE OAK

A close-up photograph of several vibrant green oak leaves with distinct lobed edges. The leaves are clustered together on a thin brown stem. The background is a soft, out-of-focus green, suggesting a dense forest or garden setting. The lighting is natural, highlighting the texture and veins of the leaves.

#### RESPONSIBLE SOURCING

An engineered construction with a top layer of real wood also helps the tree to go further, extending the resources available while providing a more stable floor.







ENGINEERED FLOORING

## LYNTON


REAL WOOD TOP LAYER  
STABLE STRATEX CORE  
BUILT-IN UNDERLAY

—  
Incredibly strong and stable,  
dent-resistant boards



LYNTON

## Real Wood Top Layer, Stable Stratex<sup>®</sup> Core & Built-in Underlay



### REAL WOOD TOP LAYER

Our ground-breaking Lynton range combines the beauty of mature European oak with the impressive stability of our unique Stratex<sup>®</sup> technology. With a real wood top layer and built-in underlay, this innovative range offers the beauty of real wood with the practicality of incredibly strong and stable, dent-resistant boards.

## PRACTICAL AND STYLISH

All our Lynton floors are robust and stable with minimal reaction to moisture and temperature, making them suitable for even the most demanding rooms in the home including hallways and over underfloor heating.



## LYNTON | SEAGRASS OAK

RUSTIC | BRUSHED &amp; MATT LACQUERED

33-LYT-005 | 165x1220mm | 2.01m<sup>2</sup>/pack£74m<sup>2</sup>

Evoking long lost timber, washed by the waves to a whitened hue, hinting at the hidden mysteries of the deep, yet vibrant with life. Delicately brushed and matt lacquered.

Wondering how much flooring to order? ROOM SIZE (M<sup>2</sup>) / PACK SIZE (M<sup>2</sup>) + 10% = NO. OF PACKS NEEDED. EASY.



LYNTON | CHIFFON OAK

RUSTIC | BRUSHED & MATT LACQUERED



33-LYT-006 | 165x1220mm | 2.01m<sup>2</sup>/pack **£74m<sup>2</sup>**

As natural as it comes, with a warmth and texture you can feel, enhanced by brushing and a subtle matt lacquer. Oak in the raw with an overlay of gossamer shades.

LYNTON | ESTUARY OAK

RUSTIC | BRUSHED & MATT LACQUERED



33-LYT-004 | 165x1220mm | 2.01m<sup>2</sup>/pack **£74m<sup>2</sup>**

Imagine salt and sand, years of maritime history ingrained into the timbers of hardworking waterside structures, captured in this characterful brushed and matt lacquered board.

<p>STABILITY</p> <p>High</p>	<p>UNDERLAY</p> <p>Built-in</p>	<p>MOISTURE</p> <p>High resistance</p>	<p>WEAR LAYER</p> <p>1mm</p>	<p>JOINT TYPE</p> <p>Tongue &amp; Groove   Easiloc</p>	<p>FITTING METHOD</p> <p>Glued   Secret Nail   Floated</p>	<p>HEATING</p> <p>Underfloor   Tog Rating</p>	<p>THICKNESS</p> <p>7mm</p>	<p>WARRANTY</p> <p>25 YEARS</p>
------------------------------	---------------------------------	--	------------------------------	--	--	---	-----------------------------	---------------------------------

LYNTON | NATURAL OAK

RUSTIC | BRUSHED & MATT LACQUERED



33-LYT-001 | 165x1220mm | 2.01m<sup>2</sup>/pack **£74m<sup>2</sup>**

Our national favourite, a mature golden oak that works beautifully with any décor, subtly brushed with a muted sheen. A traditional product, loved by generations past, now perfect for the modern home.

STABILITY



High

UNDERLAY



Built-in

MOISTURE



High resistance

WEAR LAYER



1mm

JOINT TYPE



Tongue & Groove | Easilock

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating

THICKNESS



7mm

WARRANTY



25 YEARS

LYNTON | EVENING OAK

RUSTIC | BRUSHED & MATT LACQUERED



33-LYT-003 | 165x1220mm | 2.01m<sup>2</sup>/pack **£74m<sup>2</sup>**

Capturing the subtle tones of twilight as the sun dips below the horizon, the sunset shadows and streaks of the passing day fade. Brushed and matt lacquered to intensify the grain.

LYNTON | WEALD OAK

RUSTIC | BRUSHED & MATT LACQUERED



33-LYT-002 | 165x1220mm | 2.01m<sup>2</sup>/pack **£74m<sup>2</sup>**

Recalling a darkened ancient woodland steeped in history, this sumptuous dark floor will bring a hint of mysterious luxury to any room. Brushed and matt lacquered for a classic understated finish.



Have you heard about our planting scheme? VISIT [WOODPECKERFLOORING.CO.UK/PLANTING](http://WOODPECKERFLOORING.CO.UK/PLANTING)







---

ENGINEERED FLOORING

# SALCOMBE

MUTED NATURAL HUES

---

A wide range of subtle shades  
bringing the light and vitality of  
the seashore into your home

## Muted Natural Hues

### SALCOMBE | CHALKED OAK

RUSTIC | BRUSHED & MATT LACQUERED




45-WAW-020 | 190x1900mm | 2.888m<sup>2</sup>/pack **£91m<sup>2</sup>**

Capturing the charm of a rustic beach-house floor with its bright white hues and ashen undertones, smoking enhances the light and airy feel that this floor brings to your home.

### SALCOMBE | SEASHORE OAK

RUSTIC | BRUSHED & MATT LACQUERED



45-WDG-013 | 190x1900mm | 2.888m<sup>2</sup>/pack **£91m<sup>2</sup>**

A contemporary smoked board evoking the pastel hues of the seaside with ashen, honey and cocoa shades, the colours and textures will conjure up the fresh feeling of a beach retreat.

#### JOINT TYPE



#### LENGTH



#### HEATING



1.13

#### THICKNESS



#### WEAR LAYER



#### EDGES



#### WARRANTY





## SMOKED FOR INTENSITY

Most of our Salcombe floors are specially treated using an age-old process called “smoking” which allows our experts to subtly enhance or intensify their beautiful tones by awakening the natural tannins in the timber. Offering more complexity than a simple stained board, these smoked colours add a new dimension to your floor.

@SHNORDIC

SALCOMBE | SEASHORE OAK

ENGINEERED | SALCOMBE



## EXPERT ADVICE AND IDEAS

---

Wood flooring can completely transform the look of your room. For an array of home decor tips, expert flooring ideas and style guides, visit our Inspiration Blog and subscribe to our Inspiration Journal for the latest trends and ideas.

[woodpeckerflooring.co.uk/  
inspiration](http://woodpeckerflooring.co.uk/inspiration)

SALCOMBE | MOONBEAM OAK

RUSTIC | BRUSHED & MATT LACQUERED



45-WAB-014 | 190x1900mm | 2.888m<sup>2</sup>/pack **£91m<sup>2</sup>**

Reminiscent of the delicate rays of dim light which rest on the sea's surface at night, each board is smoked and defined by ashen hues and subtle blue tinges.

SALCOMBE | DUNE OAK


RUSTIC | BRUSHED & MATT LACQUERED



45-WGR-016 | 190x1900mm | 2.888m<sup>2</sup>/pack **£91m<sup>2</sup>**

Featuring a distinctive assortment of ashen tones with subtle hints of dusky rose, this smoked floor brings to mind the multi-tonal dunes edging our favourite beaches.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating

1.13

THICKNESS



14mm

WEAR LAYER



3mm

EDGES



Bevelled

WARRANTY



100 YEARS



SALCOMBE | SHADOW OAK

RUSTIC | BRUSHED & MATT LACQUERED



45-WAC-017 | 190x1900mm | 2.888m<sup>2</sup>/pack **£91m<sup>2</sup>**

Celebrating the beauty of dramatic chocolate hues, dimmed with ashen hints and defined by white grain patterns, this handsome smoked floor will bring a sense of warmth to your room.

SALCOMBE | NATURAL OAK 3-STRIP

RUSTIC | LACQUERED



46-WOU-003 | 182x2190mm | 3.587m<sup>2</sup>/pack **£78m<sup>2</sup>**

Carefully constructed from narrower strips of oak combined into a single board. A more affordable choice to enjoy all the character expected from real oak with a contemporary twist.

JOINT TYPE



Tongue & Groove



Easiloc



Glued



Secret Nail



Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor



1.13

Tog Rating

THICKNESS



14mm

WEAR LAYER



3mm

EDGES



Bevelled

WARRANTY



100 YEARS

## SALCOMBE | NATURAL OAK

RUSTIC | BRUSHED &amp; MATT LACQUERED



45-WGO-000 | 190x1900mm | 2.888m<sup>2</sup>/pack **£91m<sup>2</sup>**

Showcasing the unadorned natural beauty of oak, this floor features the rich golden hues and rustic details that make this species eternally popular.



Wondering how much flooring to order?  $\text{ROOM SIZE (M}^2\text{)} / \text{PACK SIZE (M}^2\text{)} + 10\% = \text{NO. OF PACKS NEEDED. EASY.}$







---

ENGINEERED FLOORING

HARLECH

CLASSIC OAK TONES

---

The timeless elegance of  
oak across a spectrum  
of striking finishes

---




## WOODPECKER FAMILIES

To make it easier for you to create a seamless look between rooms, up stair cases or even across your whole home, we have created Woodpecker families.

These include different boards in a variety of formats with matching colours and finishes; enabling you to confidently create a seamless look and feel throughout your home.


YOUR FAVOURITE COLOURS IN



PLANK



WIDE PLANK



HERRINGBONE



LARGE  
HERRINGBONE



CHEVRON

HARLECH

# Classic Oak Tones

## HARLECH | WHITE OILED OAK

RUSTIC | OILED



35-HWO-189 | 190x1900mm | 2.166m<sup>2</sup>/pack **£98m<sup>2</sup>**

This captivating white oak floor inspires a calm and relaxed feel in the home. The light shade brings a lovely sense of space to a room, reflecting light and defining furniture.

## HARLECH | RAW OAK

RUSTIC | BRUSHED & MATT LACQUERED



Available  
in herringbone



35-HRA-001 | 190x1900mm | 2.166m<sup>2</sup>/pack **£98m<sup>2</sup>**

**LD** 35-HRA-240 | 240x2200mm | 2.11m<sup>2</sup>/pack **£121m<sup>2</sup>**

The perfect combination of pale, pared-back and rustic details, showcasing the wood's natural character in a subtle shade that feels fresh from the forest.

Also available as a Goodrich herringbone and chevron parquet - see page 61 and 66.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating  
If fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS



**NEW**

**HARLECH | ECRU OAK**

RUSTIC | BRUSHED & MATT LACQUERED



Available  
in herringbone



35-HOE-001 | 190x1900mm | 2.166m<sup>2</sup>/pack **£98m<sup>2</sup>**

This pale floor is the perfect complement to modern interiors. Boards have an unfinished look and brushed texture for a beautifully natural feel.

Also available as a Goodrich herringbone parquet - see page 59.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating  
If fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled


WARRANTY



100 YEARS

## HARLECH | FEATHER OAK

RUSTIC | BRUSHED & MATT LACQUERED



35-HFF-002 | 190x1900mm | 2.166m<sup>2</sup>/pack **£98m<sup>2</sup>**

Calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look, the subtle colour variations are further enhanced by smoking.

Also available in both Goodrich and Highclere herringbone, and Goodrich chevron - see page 61, 66 and 77.

## HARLECH | WHITE SMOKED OAK

RUSTIC | BRUSHED & MATT LACQUERED



35-HSW-001 | 190x1900mm | 2.166m<sup>2</sup>/pack **£98m<sup>2</sup>**

◊ 35-HWS-240 | 240x2200mm | 2.11m<sup>2</sup>/pack **£121m<sup>2</sup>**

A beautiful fresh whitened oak floor which has been smoked to enhance its ashen undertones. This modern 190mm board is also available in a premium 240mm width.

Also available as a Goodrich herringbone parquet - see page 62.

⊙ = Oiled finish

Ⓛ = Lacquered finish

◊ = Part of the 'Legacy' range

## HARLECH | RUSTIC OAK

RUSTIC | OILED | BRUSHED &amp; MATT LACQUERED



Rooted in nature with rich golden tones and intriguing details which bring a warming, traditional feel to a room.

Choose a classic 150mm board, or upgrade to our wider 190mm or premium 240mm width-h. Also available in both Goodrich and Highclere herringbone - see page 62 and 77.

©	35-HOC-148	150x1900mm	1.71m <sup>2</sup> /pack	<b>£90m<sup>2</sup></b>	Ⓛ	35-HOB-001	150x1900mm	1.71m <sup>2</sup> /pack	<b>£90m<sup>2</sup></b>		
©	35-HRO-001	190x1900mm	2.166m <sup>2</sup> /pack	<b>£94m<sup>2</sup></b>	Ⓛ	35-HBL-001	190x1900mm	2.166m <sup>2</sup> /pack	<b>£94m<sup>2</sup></b>		
Ⓛ	©	35-HOR-240	240x2200mm	2.11m <sup>2</sup> /pack	<b>£118m<sup>2</sup></b>	Ⓛ	Ⓛ	35-HRO-240	240x2200mm	2.11m <sup>2</sup> /pack	<b>£118m<sup>2</sup></b>



© = Oiled finish

Ⓛ = Lacquered finish

Ⓛ = Part of the 'Legacy' range



## HARLECH | SMOKED OAK

RUSTIC | BRUSHED & MATT LACQUERED



Available  
in herringbone



35-HSO-001 | 190x1900mm | 2.166m<sup>2</sup>/pack **£98m<sup>2</sup>**

This multi-tonal floor is alive with the natural character and warming colours of oak. The smoking process has enhanced every highlight and shadow in these vibrant boards.

Also available as a Goodrich herringbone parquet - see page 64.

## HARLECH | BISCOTTI OAK

RUSTIC | BRUSHED & MATT LACQUERED



Available  
in herringbone



35-HGO-002 | 190x1900mm | 2.166m<sup>2</sup>/pack **£98m<sup>2</sup>**


Rich biscuit tones and gentle sweeps of caramel bring this floor to life, imbuing it with character and elegance, working well in both classic and modern design schemes.

Also available in both Goodrich and Highclere herringbone - see page 65 and 78.

### JOINT TYPE



### FITTING METHOD



### LENGTH



### HEATING



### THICKNESS



### WEAR LAYER



### EDGES



### WARRANTY



**NEW**

**HARLECH | COFFEE OAK**

RUSTIC | BRUSHED & MATT LACQUERED



Available  
in herringbone



35-HCO-001 | 190x1900mm | 2.166m<sup>2</sup>/pack **£98m<sup>2</sup>**

Rich and sophisticated in colour with an array of dark tones and lovely texture, this floor is the perfect choice for a traditionally styled home.

Also available in both Goodrich and Highclere herringbone - see page 64 and 78.

**HARLECH | COGNAC OAK**

RUSTIC | BRUSHED & MATT LACQUERED



35-HOC-190 | 190x1900mm | 2.166m<sup>2</sup>/pack **£98m<sup>2</sup>**

Distinct dark grain patterns characterise this vivid and sophisticated oak floor, evoking the richly stained barrels used to store the finest spirits.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating  
If fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100  
YEARS



## DARK & HANDSOME

Some think that dark boards are reserved for traditional homes, but they work just as well in a contemporary setting, especially when there is ample natural light to reveal their rich tones and intriguing patterns.



**NEW**

**HARLECH | ESPRESSO OAK**

RUSTIC | BRUSHED & MATT LACQUERED



Available  
in herringbone



35-HEO-001 | 190x1900mm | 2.166m<sup>2</sup>/pack **98m<sup>2</sup>**

Sophisticated, radiant and distinct, this is a floor with real depth, its sumptuous shades accentuated by the smoking process and wonderfully textured feel.

Also available as a Goodrich herringbone parquet - see page 65.

**HARLECH | CHOCOLATE OAK**

RUSTIC | BRUSHED & MATT LACQUERED



35-HCW-001 | 190x1900mm | 2.166m<sup>2</sup>/pack **£98m<sup>2</sup>**

Dark, elegant, indulgent - a truly glamorous wood floor. Lively natural details wind across the planks, bringing warmth and intrigue to a room.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating  
If fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS



## HARLECH | STORMY OAK

RUSTIC | BRUSHED & MATT LACQUERED



35-HWG-001 | 190x1900mm | 2.166m<sup>2</sup>/pack      **£118m<sup>2</sup>**

A mix of grey hues and whitened grains make this a most characterful floor. Cutting edge reactive stains bring a superb depth and intensity to the varied tones.



See what you like? ORDER FREE SAMPLES FROM [WOODPECKERFLOORING.CO.UK](http://WOODPECKERFLOORING.CO.UK)

# WOODPECKER

## LEGACY

### HARLECH | RAW OAK 240MM

RUSTIC | BRUSHED & MATT LACQUERED



35-HRA-240 | 240x2200mm | 2.11m<sup>2</sup>/pack **£121m<sup>2</sup>**

The perfect combination of pale, pared-back and rustic details, showcasing the wood's natural character in a subtle shade that feels fresh from the forest, in a premium 240mm width.

Also available in both Goodrich herringbone and chevron - see page 61 and 66.

### HARLECH | WHITE SMOKED OAK 240MM

RUSTIC | BRUSHED & MATT LACQUERED



35-HWS-240 | 240x2200mm | 2.11m<sup>2</sup>/pack **£121m<sup>2</sup>**

A beautiful fresh whitened oak floor which has been smoked to enhance its ashen undertones, this extra wide 240mm board makes a classic design statement.

Also available in Goodrich herringbone - see page 62.



Our Legacy range includes our most beautiful and extraordinary boards for a striking statement look. From the beauty of extra wide boards, to the refined look of hand-picked select grades and exquisite hand finishing, these floors are truly distinctive and special.

## HARLECH | RUSTIC OAK 240MM

OILED | BRUSHED & MATT LACQUERED



© 35-HOR-240 | 240x2200mm | 2.11m<sup>2</sup>/pack **£118m<sup>2</sup>**

Ⓒ 35-HRO-240 | 240x2200mm | 2.11m<sup>2</sup>/pack **£118m<sup>2</sup>**

Rooted in nature with rich golden tones and intriguing details which bring a warming, traditional feel to a room. This extra wide 240mm board creates an even more characterful effect.

Also available in Goodrich and Highclere herringbone - see page 62 and 77.

## HARLECH | SELECT OAK

SELECT | OILED | MATT LACQUERED



© 35-HOO-005 | 190x1900mm | 2.166m<sup>2</sup>/pack **£127m<sup>2</sup>**

Ⓒ 35-HOL-001 | 190x1900mm | 2.166m<sup>2</sup>/pack **£127m<sup>2</sup>**

Handpicked from the finest timber, each plank captures the natural beauty of wood's golden hues and gentle grain patterns but only features small rustic details for a more refined look.

See what you like? ORDER FREE SAMPLES FROM [WOODPECKERFLOORING.CO.UK](http://WOODPECKERFLOORING.CO.UK)





GOODRICH | ECRU OAK

---

ENGINEERED FLOORING

GOODRICH

STYLISH HERRINGBONE

---

A striking design classic,  
effortlessly contemporary  
whilst evoking a golden age





GOODRICH | FEATHER OAK  
HARLECH | FEATHER OAK

Matching plank and herringbone styles... with the highest attention to detail, we now have matching floor styles. This allows you to be more creative with your floor design and it's a great way to create complementary transitions between rooms.

Herringbone floors are stylish and distinctive, they have a wonderful story to tell and it'll be a talking point in your home for many years to come.

Woodpecker offers a range of herringbone designs to meet all needs and styles, from our high performance Brecon range, to our beautifully crafted Goodrich and large format Highclere collections, to the gorgeous parquetry of our Design Panels.

From neatly bevelled to handscraped, and from smoothly lacquered to sawn, we have a finish that will work perfectly in your home.

#### PATTERNS TO INSPIRE




TRADITIONAL  
HERRINGBONE



DOUBLE  
HERRINGBONE



LADDER




90 DEGREE  
ANGLE



CHEVRON



PLANK &  
HERRINGBONE  
MIX



BASKET WEAVE

#### FOR A DESIGNER TOUCH...

For an elegant and seamless transition from one real wood engineered floor to another, or to add a design statement into a parquet design, why not use one of our brass or brushed stainless steel inlay strips?



# Stylish Herringbone

## GOODRICH | WHITENED OAK

RUSTIC | BRUSHED & MATT LACQUERED



32-GWH-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£109m<sup>2</sup>**

Light in colour with a contemporary blend of ashen and flaxen tones, these boards marry striking rustic character with varying natural hues.

## GOODRICH | ECRU OAK

RUSTIC | BRUSHED & MATT LACQUERED



Available in matching plank



32-GEO-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£109m<sup>2</sup>**

This pale parquet floor is the perfect complement to modern interiors. Boards have an unfinished look and brushed texture for a beautifully natural feel.

Also available as a Harlech plank - see page 46.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating 1.13  
If fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS





GOODRICH | FEATHER OAK

RUSTIC | BRUSHED & MATT LACQUERED



32-OGW-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£113m<sup>2</sup>**


Calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look. The subtle colour variations are further enhanced by smoking.

Also available as a Harlech plank, Goodrich chevron and Highclere wide herringbone- see page 47, 66 and 77.

**NEW**

GOODRICH | RAW OAK

RUSTIC | BRUSHED & MATT LACQUERED



32-GRO-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£113m<sup>2</sup>**

This perfect combination of pale, pared-back and rustic details, showcasing the wood's natural character in a subtle shade that feels fresh from the forest, with a contemporary herringbone twist.

Also available as a Goodrich chevron and Harlech plank - see page 45 and 66.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating  
If fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS

NEW

## GOODRICH | WHITE SMOKED OAK

RUSTIC | BRUSHED &amp; MATT LACQUERED

32-GWS-001 | 90x400mm | 1.296m<sup>2</sup>£113m<sup>2</sup>

A beautiful fresh whitened oak floor which has been smoked to enhance its ashen undertones. This popular board has been reinvented as an elegant herringbone design.

Also available as a Harlech plank - see page 47.

## GOODRICH | NATURAL OAK

RUSTIC | BRUSHED &amp; MATT LACQUERED

32-GNA-001 | 90x400mm | 1.296m<sup>2</sup>/pack£100m<sup>2</sup>

This natural oak flooring captures timeless elegance and traditional artistry in the home with rich honey tones and striking details. A long-standing favourite due to its classic charm.

Also available as a Harlech plank and Highclere wide herringbone - see page 48 and 77.

## JOINT TYPE



Tongue &amp; Groove | Easiloc

## FITTING METHOD



Glued | Secret Nail | Floated

## HEATING

Underfloor | Tog Rating  
If fully stuck down

## THICKNESS



15mm

## WEAR LAYER



4mm

## EDGES



Bevelled

## WARRANTY

100  
YEARS

## AN ANCIENT EFFECT

The traditional herringbone flooring design can be traced as far back as 500BC when the Ancient Romans used it when laying their famous roads. The staggered zigzag pattern is made up of wooden blocks cut smaller than traditional planks, creating a striking and stylish look.





## GOODRICH | SMOKED OAK

RUSTIC | BRUSHED &amp; MATT LACQUERED

32-GFO-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£113m<sup>2</sup>**

This multi-tonal floor is alive with the natural character and warming colours of oak. The smoking process has enhanced every highlight and shadow in these vibrant boards.

Also available as a Harlech plank - see page 49.

## GOODRICH | COFFEE OAK

RUSTIC | BRUSHED &amp; MATT LACQUERED

32-GCO-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£109m<sup>2</sup>**

Rich and sophisticated in colour with an array of dark tones and lovely texture, this floor is the perfect choice for a traditionally styled home.

Also available as a Harlech plank and Highclere wide herringbone - see page 50 and 78.



See what you like? ORDER FREE SAMPLES FROM [WOODPECKERFLOORING.CO.UK](http://WOODPECKERFLOORING.CO.UK)

GOODRICH | BISCOTTI OAK

RUSTIC | BRUSHED & MATT LACQUERED



32-GGO-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£113m<sup>2</sup>**

Rich biscuit tones and gentle sweeps of caramel bring this floor to life, imbuing it with character and elegance, working well in both classic and modern design schemes.

Also available as a Harlech plank and Highclere wide herringbone - see page 49 and 78.

GOODRICH | ESPRESSO OAK












RUSTIC | BRUSHED & MATT LACQUERED



32-GCW-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£113m<sup>2</sup>**

Sophisticated, radiant and distinct, this is a parquet floor with real depth, its sumptuous shades accentuated by the smoking process, and wonderfully textured feel.

Also available as a Harlech plank - see page 52.

<p>JOINT TYPE</p>   <p>Tongue &amp; Groove   Easiloc</p>		<p>FITTING METHOD</p>    <p>Glued   Secret Nail   Floated</p>			<p>HEATING</p>   <p>Underfloor   Tog Rating If fully stuck down</p>		<p>THICKNESS</p>  <p>15mm</p>	<p>WEAR LAYER</p>  <p>4mm</p>	<p>EDGES</p>  <p>Bevelled</p>	<p>WARRANTY</p>  <p>100 YEARS</p>
--	--	--	--	--	---	--	---	--	--	--

# WOODPECKER

## LEGACY

Beautiful and Extraordinary Boards for a Striking Statement Look

### GOODRICH | FEATHER OAK CHEVRON

RUSTIC | BRUSHED & MATT LACQUERED



32-CGR-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£133m<sup>2</sup>**

A beautiful chevron design - calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look, the subtle colour variations further enhanced by smoking.

Also available as a Harlech plank and Goodrich and Highclere herringbone - see page 47, 61 and 77.

**NEW**

### GOODRICH | RAW OAK CHEVRON

RUSTIC | BRUSHED & MATT LACQUERED



32-GRC-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£133m<sup>2</sup>**

A striking chevron version of this perfect combination of pale, pared-back and rustic details, showcasing the wood's natural character in a subtle shade that feels fresh from the forest.

Also available as a Harlech plank and Goodrich herringbone - see page 45 and 61.



## STRIKING DESIGNS

The Goodrich Legacy range includes striking chevron designs as well as wonderful textures and finishes that really stand out from the crowd.

The timeless elegance of natural wood and the traditional artistry of parquet flooring are combined to create our chevron designs - blocks which are angled and meet at points for a distinctive look that sets these floors apart.

### JOINT TYPE



Tongue & Groove



Easiloc

### FITTING METHOD



Glued



Secret Nail



Floated

### HEATING



Underfloor  
If fully stuck down



1.13

### THICKNESS



15mm

### WEAR LAYER



4mm

### EDGES



Bevelled

### WARRANTY



100  
YEARS



JOINT TYPE



Tongue & Groove Easiloc

FITTING METHOD



Glued Secret Nail Floated

HEATING



Underfloor If fully stuck down Tog Rating

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS

# WOODPECKER LEGACY

## GOODRICH | SALTED OAK

RUSTIC | BRUSHED & MATT LACQUERED



32-SGR-001 | 90x400mm | 1.296m<sup>2</sup>/pack

£129m<sup>2</sup>

Parquet flooring gets a texture rush in this stylish and characterful floor. These blocks bear distinctive saw marks for a striking rustic effect, whilst being wonderfully contemporary in colour.

**NEW**

## GOODRICH | CATHEDRAL OAK

EXTRA RUSTIC | HARDWAX OIL



Available  
in matching  
plank



32-GOC-001 | 90x400mm | 1.296m<sup>2</sup>/pack

£133m<sup>2</sup>

Beautifully worn with undulations and the feeling of generations of footfall. Waves of honey, caramel and cocoa add warmth to this richly textured herringbone, enhanced by expert handfinishing.

Also available as a Berkeley plank see page 98.



# WOODPECKER

## LEGACY

### GOODRICH | BARN OAK

RUSTIC | BRUSHED & MATT LACQUERED



32-GBO-001 | 90x400mm | 1.296m<sup>2</sup>/pack

£133m<sup>2</sup>

Painstakingly distressed by hand with tumbled edges, rich natural details and worn surface character, with a grey washed shade for a modern rustic look.

**NEW**

### GOODRICH | SPICED OAK

EXTRA RUSTIC | HARDWAX OIL



32-GSO-001 | 90x400mm | 1.296m<sup>2</sup>/pack

£133m<sup>2</sup>

Evoking the toasted tones of roasted dark brown spices, these boards evoke the footfall and stories of generations gone by, a warm foundation to even the most modern of schemes.

#### JOINT TYPE



Tongue & Groove | Easiloc

#### FITTING METHOD



Glued | Secret Nail | Floated

#### HEATING



Underfloor | Tog Rating  
If fully stuck down

#### THICKNESS



15mm

#### WEAR LAYER



4mm

#### EDGES



Bevelled

#### WARRANTY



100  
YEARS

GOODRICH | SPICED OAK

ENGINEERED | GOODRICH



# WOODPECKER

## LEGACY

**NEW**

### GOODRICH | FOUNDRY OAK

EXTRA RUSTIC | HARDWAX OIL



32-GMO-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£133m<sup>2</sup>**

A rich, timeworn herringbone with red and auburn undertones which bring warmth and depth to the floor. A striking choice, full of character and charm.

### GOODRICH | CHARRED OAK

RUSTIC | HARDWAX OILED



32-GCD-001 | 90x400mm | 1.296m<sup>2</sup>/pack **£133m<sup>2</sup>**

Gloriously bold and blackened, capturing the feel of a reclaimed parquet floor with hand distressed blocks featuring stunning colour variations, marks, scuffs, dents and tumbled edges.

#### JOINT TYPE



Tongue & Groove | Easiloc

#### FITTING METHOD



Glued | Secret Nail | Floated

#### HEATING



Underfloor | Tog Rating  
If fully stuck down

#### THICKNESS



15mm

#### WEAR LAYER



4mm

#### EDGES



Bevelled

#### WARRANTY



100  
YEARS



### FOR A DESIGNER TOUCH...

For an elegant and seamless transition from one real wood engineered floor to another, or to add a design statement into a parquet design, why not use one of our brass or brushed stainless steel inlay strips? See page 144 for more details.



NEW

ENGINEERED FLOORING

# HIGHCLERE

STRIKING LARGE FORMAT  
HERRINGBONE

—  
Bigger, bolder herringbone  
planks for an elegant statement  
design with a twist



## BEST OF BOTH WORLDS

—  
All the character of genuine reclaimed boards with the strength and versatility of an engineered structure, meaning you really can have it all!

HIGHCLERE | NATURAL OAK

### JOINT TYPE



Tongue & Groove

End-Joint

### FITTING METHOD




Glued

Secret Nail

Floated

### HEATING



Underfloor  
If fully stuck down

1.13

Tog Rating

### THICKNESS



15mm

### WEAR LAYER



4mm

### EDGES



Bevelled

### WARRANTY



100  
YEARS

# Striking Large Format Herringbone

**NEW**

HIGHCLERE | FEATHER OAK

RUSTIC | BRUSHED &amp; MATT LACQUERED

32-HFO-001 | 120x600mm | 1.44m<sup>2</sup>/pack **£118m<sup>2</sup>**

Calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look, the subtle colour variations further enhanced by smoking.

Also available as a Harlech plank and Goodrich herringbone and chevron – see page 47, 61 and 66.

**NEW**

HIGHCLERE | NATURAL OAK

RUSTIC | BRUSHED &amp; MATT LACQUERED

32-HNO-001 | 120x600mm | 1.44m<sup>2</sup>/pack **£109m<sup>2</sup>**

This natural oak flooring captures timeless elegance and traditional artistry in the home with rich honey tones and striking details. A long-standing favourite due to its classic charm.

Also available as a Harlech plank and Goodrich herringbone – see page 48 and 62.



See what you like? ORDER FREE SAMPLES FROM [WOODPECKERFLOORING.CO.UK](http://WOODPECKERFLOORING.CO.UK)

**NEW**

**HIGHCLERE | COFFEE OAK**

RUSTIC | BRUSHED & MATT LACQUERED



32-HCO-001 | 120x600mm | 1.44m<sup>2</sup>/pack **£118m<sup>2</sup>**

Rich and sophisticated in colour with an array of dark tones and lovely texture, this floor is the perfect choice for a traditionally styled home.

Also available as a Harlech plank and Goodrich herringbone – see page 50 and 64.

**NEW**

**HIGHCLERE | BISCOTTI OAK**

RUSTIC | BRUSHED & MATT LACQUERED



32-HBO-001 | 120x600mm | 1.44m<sup>2</sup>/pack **£118m<sup>2</sup>**

Rich biscuit tones and gentle sweeps of caramel bring this floor to life, imbuing it with character and elegance, working well in both classic and modern design schemes.

Also available as a Harlech plank and Goodrich herringbone – see page 49 and 65.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating  
If fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100  
YEARS




# WOODPECKER FAMILIES

To make it easier for you to create a seamless look between rooms, floors and throughout your whole home, we have created Woodpecker families.



HIGHCLERE | NATURAL OAK  
HARLECH | RUSTIC OAK

For a striking and contemporary look, combine our matching Goodrich and Highclere herringbone floors. The varying depths will create a stylish and unique design. To create a seamless look across all rooms, choose a matching Harlech plank too.



HIGHCLERE | COFFEE OAK  
GOODRICH | COFFEE OAK


The Woodpecker Families include different boards in a variety of formats with matching colours and finishes; enabling you to confidently create a seamless look and feel throughout your home.

HARLECH 190

HARLECH 240

HIGHCLERE

GOODRICH







---

ENGINEERED FLOORING

## CHEPSTOW

RUGGED, DISTINGUISHED  
AND BEAUTIFUL

---

Majestic, thick, traditionally  
oiled boards – strong,  
hardwearing and charming



# Rugged, Distinguished and Beautiful

## CHEPSTOW | RUSTIC OAK

RUSTIC | UNFINISHED | BRUSHED & OILED | LACQUERED



The classic look of rustic oak merging natural style with timeless appeal in its flowing grain patterns, slowly grown knots and array of caramel shades, in a classic 190mm or premium 240mm width.

65-HMU-001 | 189x1860mm | 2.11m<sup>2</sup>/pack

£121m<sup>2</sup>

⊙ 65-HBO-001 | 189x1860mm | 2.11m<sup>2</sup>/pack

£123m<sup>2</sup>

Ⓛ 65-HML-001 | 189x1860mm | 2.11m<sup>2</sup>/pack

£123m<sup>2</sup>

Ⓛ ⊙ 65-HBO-002 | 240x2200mm | 2.11m<sup>2</sup>/pack

£143m<sup>2</sup>

CHEPSTOW | RUSTIC OAK



### JOINT TYPE



Tongue & Groove



Easiloc



Glued



Secret Nail



Floated

### FITTING METHOD

### LENGTH



Packs include cut lengths

### HEATING



Underfloor | Tog Rating  
If fully stuck down

1.2

### THICKNESS



21mm

### WEAR LAYER



6mm

### EDGES



Bevelled

### WARRANTY



100 YEARS

## CHEPSTOW | PLANED GREY OAK

RUSTIC | OILED

65-POG-001 | 189x1860mm | 2.11m<sup>2</sup>/pack **£134m<sup>2</sup>**

This beautiful floor pairs the ageless flair of slow-grown European timber with a contemporary stain and beautifully smooth surface, highlighting ashen undertones and modern grey highlights.

## CHEPSTOW | WASHED OAK

RUSTIC | OILED



Available  
in two plank  
widths

65-RWA-001 | 190x1900mm | 1.444m<sup>2</sup>/pack **£134m<sup>2</sup>**

◊ 65-RWA-002 | 240x2200mm | 2.11m<sup>2</sup>/pack **£155m<sup>2</sup>**

Full of whirling natural details, the subtle pale wash on this oak floor brings out the delicate grey hues and golden undertones. Now also available in a striking 240mm width.

⊙ = Oiled finish

Ⓛ = Lacquered finish

◊ = Part of the 'Legacy' range





CHEPSTOW | ANTIQUE OAK

RUSTIC | OILED



Available in two plank widths




65-POA-001 | 189x1860mm | 2.11m<sup>2</sup>/pack **£134m<sup>2</sup>**

◊ 65-POA-002 | 240x2200mm | 2.11m<sup>2</sup>/pack **£152m<sup>2</sup>**

Distinctive deep grain patterns and rich warming tones - a dark stain brings the oak's character to the fore while bevelled edges create beautiful definition. Now also available in a luxurious 240mm board.

CHEPSTOW | PLANED COCOA

RUSTIC | OILED



65-POC-001 | 189x1860mm | 2.11m<sup>2</sup>/pack **£134m<sup>2</sup>**

Dark, deep and vivid with a delightfully smooth finish achieved by up to 6 rounds of careful sanding. Rich chocolate tones and dancing lighter highlights make this a floor with seemingly endless depths.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating  
If fully stuck down

1.2

THICKNESS



21mm

WEAR LAYER



6mm

EDGES



Bevelled

WARRANTY



100 YEARS

# WOODPECKER

## LEGACY

CHEPSTOW | SAWN GREY OAK

RUSTIC | OILED



65-SOG-001 | 189x1860mm | 2.11m<sup>2</sup>/pack **£152m<sup>2</sup>**

With delicate ashen hues and a beautifully rough surface evoking freshly sawn timber, the rugged beauty of these boards recalls times passed in their every ridge and rise, grain and knot.



Wondering how much flooring to order?  $\text{ROOM SIZE (M}^2\text{)} / \text{PACK SIZE (M}^2\text{)} + 10\% = \text{NO. OF PACKS NEEDED. EASY.}$

The Legacy range includes the most beautiful and extraordinary boards for a striking statement look. From the beauty of extra wide boards, to the refined look of hand-picked select grades and exquisite hand finishing, these floors are truly distinctive and special.

CHEPSTOW | RUSTIC OAK 240MM

RUSTIC | BRUSHED & OILED



65-HBO-002 | 240x2200mm | 2.11m<sup>2</sup>/pack **£143m<sup>2</sup>**

The classic look of rustic oak merging natural style with timeless appeal in its flowing grain patterns, slowly grown knots and array of caramel shades, in a generous and stylish 240mm width.

CHEPSTOW | WASHED OAK 240MM

RUSTIC | OILED



65-RWA-002 | 240x2200mm | 2.11m<sup>2</sup>/pack **£155m<sup>2</sup>**

Full of whirling natural details, the subtle pale wash on this oak floor brings out the delicate grey hues and golden undertones, now in a superb wider 240mm board.

JOINT TYPE



Tongue & Groove



Easiloc



Glued



Secret Nail



Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | If fully stuck down



1.2

Tog Rating

THICKNESS



21mm

WEAR LAYER



6mm

EDGES



Bevelled

WARRANTY



100 YEARS



# WOODPECKER

## LEGACY

### CHEPSTOW | ANTIQUE OAK 240MM

RUSTIC | OILED



65-POA-002 | 240x2200mm | 2.11m<sup>2</sup>/pack **£152m<sup>2</sup>**

A stunning wide board with distinctive deep grain patterns and rich warming tones - a dark stain brings the oak's character to the fore while bevelled edges create beautiful definition.

### CHEPSTOW | DISTRESSED CHARCOAL OAK

RUSTIC | HARDWAX OILED



65-AOC-001 | 190x1900mm | 1.444m<sup>2</sup>/pack **£152m<sup>2</sup>**

65-AOC-002 | 240x2200mm | 2.11m<sup>2</sup>/pack **£172m<sup>2</sup>**

A stunning mix of rich auburn and deep chocolate tones, brought to life by hand with sultry stains and augmenting waxes, enhancing distressed bevelled edges and characterful surface dents.

#### JOINT TYPE



Tongue & Groove



Easiloc



Glued



Secret Nail



Floated

#### LENGTH



Packs include cut lengths

#### HEATING



Underfloor  
If fully stuck down



Tog Rating

1.2

#### THICKNESS



21mm

#### WEAR LAYER



6mm

#### EDGES



Bevelled

#### WARRANTY



100  
YEARS









ENGINEERED FLOORING

## BERKELEY

EXTRAORDINARY WOODS,  
TEXTURES AND FINISHES

—  
Hand-worked extra rustic  
Oak and Pine and beautifully  
sleek Walnut



JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating  
If fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS

# WOODPECKER LEGACY

Beautiful and Extraordinary Boards for a Striking Statement Look

## BERKELEY | WHITE OAK

EXTRA RUSTIC | BRUSHED & MATT LACQUERED



38-BWO-005 | 190x1860mm | 2.11m<sup>2</sup>/pack **£123m<sup>2</sup>**

This white oak floor evokes a beach-house feel with its chalky ashen stain and rustic details. Full of character, smoking intensifies the subtle tones.

## BERKELEY | GREY OAK

EXTRA RUSTIC | BRUSHED & MATT LACQUERED



38-BAG-001 | 190x1860mm | 2.11m<sup>2</sup>/pack **£123m<sup>2</sup>**

Relaxing ashen hues are accentuated by smoking and blend with a handscraped texture in this extra rustic board, featuring the large knots, splits and cracks characteristic of decades-old oak.



# WOODPECKER

## LEGACY

### BERKELEY | CALICO OAK

EXTRA RUSTIC | BRUSHED & MATT LACQUERED



38-BCC-001 | 190x1860mm | 2.11m<sup>2</sup>/pack **£150m<sup>2</sup>**

Dusky and daring, this floor's grey and taupe tones are brought to life by smoking and are then aged and distressed with marks, dents and scuffed edges capturing the feel of timber with a history.

### BERKELEY | SMOKED OAK

EXTRA RUSTIC | BRUSHED & MATT LACQUERED



38-BOS-003 | 190x1860mm | 2.11m<sup>2</sup>/pack **£123m<sup>2</sup>**

Seven stages of antiquing have created an exquisitely distressed floor, with dark details, intricate knots and strong colour variations enhanced by smoking.

#### JOINT TYPE



Tongue & Groove



Easiloc



Glued



Secret Nail



Floated

Glued | Secret Nail | Floated

#### LENGTH



Packs include cut lengths

#### HEATING



Underfloor  
If fully stuck down



1.13

TOG Rating

#### THICKNESS



15mm

#### WEAR LAYER



4mm

#### EDGES



Bevelled

#### WARRANTY



100  
YEARS







JOINT TYPE

FITTING METHOD

LENGTH

HEATING

THICKNESS

WEAR LAYER

EDGES

WARRANTY



Tongue & Groove

Eastloc

Glued

Secret Nail

Floated

Packs include cut lengths

Underfloor

Tog Rating

15mm

4mm

Bevelled

100 YEARS

If fully stuck down  
Berkeley Century Pine is not suitable for underfloor heating



# WOODPECKER LEGACY

## BERKELEY | CENTURY PINE

EXTRA RUSTIC | OILED



38-BMC-001 | 190x1860mm | 2.11m<sup>2</sup>/pack **£123m<sup>2</sup>**

With characterful blackened bevels and natural details as well as aged nail holes, this floor tells a story of hardworking boards having absorbed the footfall of generations.

*Please note, Berkeley Century Pine is not suitable for underfloor heating.*

## BERKELEY | COTTAGE OAK

EXTRA RUSTIC | BRUSHED & MATT LACQUERED



38-BDW-001 | 190x1860mm | 2.11m<sup>2</sup>/pack **£150m<sup>2</sup>**

Featuring chatter marks from the sawmill along the edges, each board is full of rustic, timeworn character and charming effects, with a rich depth of colour enhanced by the classic smoking treatment.



Have you heard about our planting scheme? VISIT [WOODPECKERFLOORING.CO.UK/PLANTING](https://www.woodpeckerflooring.co.uk/planting)

# WOODPECKER

## LEGACY

BERKELEY | CATHEDRAL OAK

EXTRA RUSTIC | HARDWAX OILED



38-BCD-001 | 190x1860mm | 2.11m<sup>2</sup>/pack **£150m<sup>2</sup>**

Beautifully worn with undulations and the feeling of generations of footfall, waves of honey, caramel and cocoa add warmth to these richly textured boards, enhanced by expert handfinishing.

Also available as a Goodrich herringbone parquet - see page 69.



# WOODPECKER LEGACY

## BERKELEY | BURNT OAK

EXTRA RUSTIC | BRUSHED & MATT LACQUERED



38-BOA-006 | 190x1860mm | 2.11m<sup>2</sup>/pack **£123m<sup>2</sup>**

The bronze hues of this beautifully distressed oak floor feature a medley of tonal twists, dark rustic details and defined bevelled edges, all brought to life by the traditional smoking method.

## BERKELEY | CLASSIC WALNUT

EXTRA RUSTIC | LACQUERED



38-BCW-001 | 190x1860mm | 2.11m<sup>2</sup>/pack **£150m<sup>2</sup>**

With rich, swirling chocolatey tones and occasional lighter sapwood streaks highlighting the bevels, this serene floor has a smooth and lustrous quality that will take centre stage.

### JOINT TYPE



Tongue & Groove



Easiloc



Glued



Secret Nail



Floated

### FITTING METHOD

### LENGTH



Packs include cut lengths

### HEATING



Underfloor  
If fully stuck down



1.13

Tog Rating

### THICKNESS



15mm

### WEAR LAYER



4mm

### EDGES



Bevelled

### WARRANTY



100  
YEARS



# WOODPECKER

## LEGACY

### BERKELEY | RUGGED OAK

EXTRA RUSTIC | HARDWAX OILED



38-BRO-001 | 190x1860mm | 2.11m<sup>2</sup>/pack **£150m<sup>2</sup>**

With rich nutty tones and golden highlights, these boards evoke the warm tones of autumn. Hand finished with marks, scuffs and dents, telling the story of antique wood that's wonderfully worn over time.

**NEW**

### BERKELEY | CHARTERHOUSE OAK

EXTRA RUSTIC | HARDWAX OILED



38-BOC-001 | 190x1860mm | 2.11m<sup>2</sup>/pack **£150m<sup>2</sup>**

Full of character, these handfinished, scorched boards have deep toasted nut and cocoa hues, with the timeworn feel of hardworking floors aged by generations.

#### JOINT TYPE



Tongue & Groove



Easiloc



Glued



Secret Nail



Floated

#### LENGTH



Packs include cut lengths

#### HEATING



Underfloor  
If fully stuck down



1.13

Tog Rating

#### THICKNESS



15mm

#### WEAR LAYER



4mm

#### EDGES



Bevelled

#### WARRANTY



100  
YEARS

WARRANTY





HOCOLAT  
LOUIT





# WOODPECKER LEGACY

**NEW**

## BERKELEY | PRIORY OAK

EXTRA RUSTIC | HARDWAX OILED



38-BPO-001 | 190x1860mm | 2.11m<sup>2</sup>/pack **£150m<sup>2</sup>**

Bearing the scorch marks and dark red undertones of historic reclaimed timber, these boards have been handfinished to create the worn feel of historic timber.

## BERKELEY | CELLAR OAK

EXTRA RUSTIC | HARDWAX OILED



38-BCO-001 | 190x1860mm | 2.11m<sup>2</sup>/pack **£150m<sup>2</sup>**

Dark, distressed and distinctive with deep ebony undertones and all the character of aged extra rustic oak, reinforced by marks, scuffs and dents that tell the story of reclaimed aged timber.

### JOINT TYPE



Tongue & Groove | Easiloc

### FITTING METHOD



Glued | Secret Nail | Floated

### LENGTH



Packs include cut lengths

### HEATING



Underfloor | Tog Rating  
If fully stuck down

### THICKNESS



15mm

### WEAR LAYER



4mm

### EDGES



Bevelled

### WARRANTY



100  
YEARS





---

ENGINEERED FLOORING

## DESIGN PANELS

OPULENT STATEMENT PIECES

---

Evoking the timeless  
elegance of the past –  
a striking décor classic

---





# WOODPECKER LEGACY

## HANDCRAFTED TO ORDER

As our exquisite panels are all carefully handcrafted to order, please allow up to 8 weeks for delivery.



## INTRODUCING OUR LUXURIOUS RANGE OF DESIGN PANELS.

The effortless elegance of our luxurious design panels belies the painstaking processes involved in creating them individually and by hand. Consisting of multiple sawn blocks and shapes, each panel is measured, prepared and assembled by hand, using traditional tools and techniques to craft a mini-masterpiece every time.

Sharp angles, distinctive patterns, shapes and lines all add to the unique character of this traditional flooring style.

Hammering, planing and sanding finishes each panel to perfection, with the different grains and angles bouncing the light in many directions, creating incredible and varying textures and tones.

*Please note that because design panels are made to order, a deposit is required and, once confirmed, the order cannot be cancelled.*

### JOINT TYPE



Tongue & Groove | Easiloc

### FITTING METHOD



Glued | Secret Nail | Floated

### HEATING



Underfloor | Tog Rating  
If fully stuck down

### THICKNESS



15mm

### WEAR LAYER



4mm

### WARRANTY



# WOODPECKER

## LEGACY

### SANDRINGHAM

HARDWAX OILED



750x750mm | 0.56m<sup>2</sup>/pack

£320m<sup>2</sup>

#### MULTI MICRO BEVEL



LIMED OAK  
44-DCP-001



ROYAL OAK  
44-DCP-002



AGED OAK  
44-DCP-003

#### PERIMETER BEVEL



LIMED OAK  
44-DCP-013



ROYAL OAK  
44-DCP-014



AGED OAK  
44-DCP-015

Inspired by the original 17th century Versailles panels, this timeless design features micro bevels on all joints or at the panel perimeter only.

### CLARENCE

HARDWAX OILED



750x750mm | 0.56m<sup>2</sup>/pack

£320m<sup>2</sup>

#### MULTI MICRO BEVEL



LIMED OAK  
44-DCP-007



ROYAL OAK  
44-DCP-008



AGED OAK  
44-DCP-009

#### PERIMETER BEVEL



LIMED OAK  
44-DCP-016



ROYAL OAK  
44-DCP-017



AGED OAK  
44-DCP-018

This minimalist design allows the beauty and character of the wood grain to make a statement. Choose micro bevels on all joints or at the panel perimeter only.

#### JOINT TYPE



Tongue & Groove



Easiloc

#### FITTING METHOD



Glued



Secret Nail



Floated

#### HEATING



Underfloor



1.13

Tog Rating

#### THICKNESS



15mm

#### WEAR LAYER



4mm

#### WARRANTY



100 YEARS

If fully stuck down







# WOODPECKER

## LEGACY

### HIGHGROVE

HARDWAX OILED



750x750mm | 0.56m<sup>2</sup>/pack

£320m<sup>2</sup>

PERIMETER BEVEL



LIMED OAK  
44-DCP-010



ROYAL OAK  
44-DCP-011



AGED OAK  
44-DCP-012

A variation on the classic woven design, these panels add depth and interest to a room and have bevels on the panel perimeter only.

### GATCOMBE

HARDWAX OILED



750x750mm | 0.56m<sup>2</sup>/pack

£320m<sup>2</sup>

PERIMETER BEVEL



LIMED OAK  
44-DCP-004



ROYAL OAK  
44-DCP-005



AGED OAK  
44-DCP-006

Featuring bevels only at the panel perimeters, this intricate pattern is nonetheless sleek and elegant, creating an impact with the interplay of different grain direction.

#### JOINT TYPE



Tongue & Groove



Easiloc

#### FITTING METHOD



Glued



Secret Nail



Floated

#### HEATING



Underfloor



1.13

If fully stuck down

#### THICKNESS



15mm

#### WEAR LAYER



4mm

#### WARRANTY



100  
YEARS



NEXT GENERATION BOARDS

# WOOD DESIGN FLOORING

For high stability and  
outstanding performance

Incredibly strong and stable, waterproof and with built-in underlay – there's no better board for modern life.

Featuring Woodpecker Stratex® technology, our wood design floors are constructed from layers of the highest performance materials, with a mineral composite core and built-in underlay, making them suitable for even the most challenging rooms in the house.

More durable and solid underfoot than laminate, stable, resilient and dent-resistant, these deep embossed matt vinyl boards are the ultimate solution for the modern home.

Now new and improved – even higher performing with reinforced joints and thicker planks.



PEACE OF MIND FOR  
YEARS TO COME



BRECON | BLANCHE OAK



#### A PERFECT FIT

With glueless Easiloc joints and a built-in underlay, Woodpecker wood design flooring is easy to fit and can be installed directly onto most existing subfloors.









---

WOOD DESIGN FLOORING

## BRECON

WATERPROOF,  
BUILT-IN UNDERLAY,  
INCREDIBLY STABLE  
& DURABLE

---

A high-performance floor  
in a wide range of realistic  
wood-effect finishes

BRECON


# Waterproof, Built-in Underlay, Incredibly Stable & Durable

## NEW AND IMPROVED

Innovation is at the heart of Woodpecker... Brecon has evolved and it's better than ever before.

- 20% more stable
- 200% stronger click joint
- 20% quieter
- 5% more resistant to abrasion

Bringing you peace of mind for many years to come.



WATERPROOF PU COATING

RESILIENT AND SLIP-RESISTANT VINYL, EMBOSSED WITH A WOOD GRAIN FINISH

REALISTIC WOOD PATTERN

STABLE MINERAL COMPOSITE CORE

BUILT-IN HIGH PERFORMANCE CROSS-LINKED FOAM UNDERLAY

VALINGE PATENTED LOCKING JOINT FOR EASY FITTING  
HERRINGBONE NOW HAS 5G CLICK JOINT

## MADE FOR LIVING

Our Brecon floors, featuring Stratex® technology, are incredibly strong and stable boards with an extremely durable, embossed woodgrain-effect vinyl upper layer and built-in underlay. Offering a wide range of highly realistic wood finishes, Brecon is a stylish and practical solution for even the most demanding rooms in the house.

## SUBFLOOR PREPARATION

In order to get the best performance out of your Brecon floor, extra care and attention must be taken to ensure your subfloor is flat and smooth with no undulations before you lay the floor.

## TACTILE TEXTURES

—  
Subtle embossing of natural grain patterns and flows brings Brecon boards to life and adds realism and vitality to your floor.





BRECON | GLACIAL OAK

DEEP EMBOSS MATT



29-BRE-025 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

Freshly whitewashed, evoking an Alpine cabin glistening with the hoar frost.

BRECON | IVORY OAK

DEEP EMBOSS MATT



29-BRE-007 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

Fresh and light, with creamy tones meeting charming wood character.

STABILITY



High

UNDERLAY



No additional underlay needed

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF



INSTALLATION



Score and snap

## BRECON | SEASHELL OAK

DEEP EMBOSS MATT

29-BRE-009 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**



A subtle design with a lovely feel of nature, inspired by the dusky tones of our rocky shores.

BRECON | SEASHELL OAK  
HERRINGBONE

DEEP EMBOSS MATT

29-BRE-026 | 120x600mm | 1.44m<sup>2</sup>/pack **£53m<sup>2</sup>**

These elegant parquet boards work in harmony with this subtle design, inspired by the dusky tones of our rocky shores.



BRECON | DOVE OAK

DEEP EMBOSS MATT



29-BRE-005 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

An elegant mix of grey and beige tones, with striking dark rustic streaks, bringing a lively feel.

BRECON | WAREHOUSE OAK

DEEP EMBOSS MATT



29-BRE-012 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

A modern grey design capturing the feel of forest-fresh wood with visible sawn marks.

STABILITY



High

UNDERLAY



No additional underlay needed

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF



INSTALLATION



Score and snap



## BRECON | RIVER OAK


DEEP EMBOSS MATT

29-BRE-002 | 180x1220mm | 2.2m<sup>2</sup>/pack **£47m<sup>2</sup>**



Splashed in earthy tones and white limed details, flowing with natural character.

BRECON | RIVER OAK  
HERRINGBONE

DEEP EMBOSS MATT

29-BRE-017 | 120x600mm | 1.44m<sup>2</sup>/pack **£53m<sup>2</sup>**

An elegant herringbone, splashed with earthy tones and white limed details, flowing with natural character.





## STABILITY



High

## UNDERLAY

No additional  
underlay needed

## SLIP RESISTANCE



R10

## WEAR RATING



AC4

## WATERPROOF




## INSTALLATION

Score and  
snap

BRECON | WHISPER OAK

DEEP EMOSS MATT



29-BRE-011 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

Deep grey hues meet rustic wood character in this vivid design.

BRECON | WHISPER OAK  
HERRINGBONE

DEEP EMOSS MATT



29-BRE-016 | 120x600mm | 1.44m<sup>2</sup>/pack **£53m<sup>2</sup>**

A classic parquet pattern where deep grey hues meet rustic wood character in this vivid design.



**JOINT TYPE**




Tongue & Groove | Easiloc



**FITTING METHOD**





Glued | Secret Nail | Floated

**HEATING**

Underfloor | Tog Rating 0.5

**THICKNESS**



6mm

**WARRANTY**



25 YEARS



BRECON | BLANCHE OAK

DEEP EMBOSS MATT



29-BRE-022 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

Fresh out of the old mill, limed, washed, and swept, with character that has increased with age.

BRECON | BLANCHE OAK  
HERRINGBONE

DEEP EMBOSS MATT



29-BRE-027 | 120x600mm | 1.44m<sup>2</sup>/pack **£53m<sup>2</sup>**

A classic herringbone, fresh out of the mill, limed, washed, and swept, with character that has increased with age.



STABILITY



High

UNDERLAY



No additional underlay needed

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF



INSTALLATION



Score and snap

## BRECON | BARLEY OAK

DEEP EMBOSS MATT

29-BRE-006 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

Modest yet warming, a versatile base for contemporary interiors.

## BRECON | FARM OAK

DEEP EMBOSS MATT

29-BRE-003 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

Warm and welcoming, a characterful golden oak inspired by traditional wood flooring.

## JOINT TYPE



Tongue &amp; Groove | Easiloc

## FITTING METHOD



Glued | Secret Nail | Floated

## HEATING



Underfloor | Tog Rating

## THICKNESS



6mm

## WARRANTY

25  
YEARS

BRECON | VINTAGE OAK

DEEP EMBOSS MATT



29-BRE-015 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

Rich in red oak tones and rustic personality, capturing the vibrant character of antique wood.

BRECON | VINTAGE OAK  
HERRINGBONE

DEEP EMBOSS MATT



29-BRE-018 | 120x600mm | 1.44m<sup>2</sup>/pack **£53m<sup>2</sup>**

The stylish sophistication of parquet, rich in red oak tones and rustic personality, capturing the vibrant character of antique wood.



STABILITY



High

UNDERLAY



No additional underlay needed

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF



INSTALLATION



Score and snap





JOINT TYPE




Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating

THICKNESS



6mm

WARRANTY



25 YEARS

## BRECON | VALLEY OAK

DEEP EMOSS MATT

29-BRE-014 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

A classic design with a fresh natural oak shade and charming wood character.

## BRECON | BRACKEN OAK

DEEP EMOSS MATT

29-BRE-024 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

The feel of gracefully ageing timber, with warm tones reminiscent of heathland and rural villages.

## STABILITY



High

## UNDERLAY



No additional underlay needed

## SLIP RESISTANCE



R10

## WEAR RATING



AC4

## WATERPROOF



## INSTALLATION



Score and snap

## BRECON | HERITAGE OAK

DEEP EMBOSS MATT

29-BRE-023 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

A style found in mansions and manor houses, bearing witness to the passing generations of nobility.

## BRECON | WEATHERED OAK

DEEP EMBOSS MATT

29-BRE-021 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

Time worn and gnarled, from the ancient barn, this floor has seen generations of the seasons.

## JOINT TYPE



Tongue &amp; Groove | Easiloc

## FITTING METHOD



Glued | Secret Nail | Floated

## HEATING



Underfloor | Tog Rating

## THICKNESS



6mm

## WARRANTY

25  
YEARS



BRECON | SHORELINE OAK

DEEP EMBOSS MATT



29-BRE-020 | 180x1220mm | 2.2m<sup>2</sup>/pack **£50m<sup>2</sup>**

Calling to mind sea defences and breakwaters, saturated with tar and soaked with the surf.

BRECON | SHORELINE OAK  
HERRINGBONE

DEEP EMBOSS MATT



29-BRE-019 | 120x600mm | 1.44m<sup>2</sup> **£53m<sup>2</sup>**

A characterful herringbone, calling to mind sea defences and breakwaters, saturated with tar and soaked with the surf.



STABILITY



High

UNDERLAY



No additional underlay needed

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF



INSTALLATION



Score and snap



JOINT TYPE



Tongue & Groove  
Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor  
Tog Rating

0.5

THICKNESS



6mm

WARRANTY



25  
YEARS


# A GUIDE TO YOUR NEXT STEPS

Now you've chosen your floor, make sure you have everything you need for the perfect fit...



## SUBFLOOR PREPARATION

With an array of products to level, protect and prime your subfloor, we have everything you need to create a sound base for your Woodpecker floor.



Quality fitting




Expert knowledge



The perfect fit



A sound base



A beautiful finish





## GLUE & UNDERLAY

View our specially formulated adhesives and wide range of underlays for the perfect fit.



HIGHCLERE | NATURAL OAK





## TRIMS

Choose from our extensive range of trims to create a smooth transition between different rooms.




Smooth transitions

## FINISHING TOUCHES


From skirting boards to pipe covers, the finishing touches make all of the difference.



A seamless finish



Exquisite detail



Added protection



## CLEANING & MAINTENANCE

Prolong the beauty of your floor with our specially formulated cleaning and maintenance products.



VISIT OUR WEBSITE TO DISCOVER  
TOP TIPS ON HOW TO CARE FOR  
YOUR WOODPECKER FLOOR:

[woodpeckerflooring.co.uk/care-video/](http://woodpeckerflooring.co.uk/care-video/)



## PREPARATION


## SUBFLOOR

Properly prepared and suitable subfloors serve as a strong foundation for your new flooring.

All of our subfloor products have been carefully designed not only to work wonderfully with wood flooring, but work seamlessly with adhesives too.

Below we show you some common scenarios where our products can be used together:


## OLD SOLID SCREEDED FLOOR THAT REQUIRES LEVELLING:



## OLD AND DUSTY SOLID SCREEDED FLOOR THAT DOESN'T REQUIRE LEVELLING:




## OLD AND UNEVEN TIMBER FLOORBOARDS:



## STICKING DOWN TO AN ANHYDRITE SCREED WITH UNDERFLOOR HEATING:



## ACOUSTIC DEADENING INSTALLATION:





LYNTON | EVENING OAK

### WP60 LIQUID DPM

Apply this liquid membrane to your subfloor to prevent residual moisture from the subfloor penetrating your natural wood floor.



CODE	SIZE	COVERS (APPROX)	RRP (INC. VAT)
23-LDP-001	5L	25m <sup>2</sup>	£191

### 11P SURFACE PRIMER

Does your Woodpecker flooring need to float on a dusty or porous subfloor? To improve surface adhesion, apply 11P Surface Primer before using our MS Parquet adhesive, WP50 Sausages, or WP60 DPM.



CODE	SIZE	COVERS	RRP (INC. VAT)
31-WSP-001	5L	N/A	£44

### LEVEL-X & PRIMER

If your subfloor is uneven, solve the problem the natural way using gravity. With care, it can be feathered off to 2mm at the edges.

How much Level-X do you need?

$$\left[ \frac{\text{Average thickness required (mm)} \times 1.7}{20 \text{ (kg)}} \right] \times \text{floor area (m}^2\text{)} = \text{number of bags}$$



CODE	SIZE	PRODUCT	RRP (INC. VAT)
12-LXC-001	20kg	Level-X	£39
12-LXP-001	1L	Primer	£22

### DAMP PROOF MEMBRANE (DPM)

Designed to be used in conjunction with a cushioning underlay, and to prevent moisture damaging your floor, this membrane is durable and strong with high puncture resistance. It's made from 1000-gauge high quality polythene.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
37-DPM-100	1000 gauge	100m <sup>2</sup> (4m x 25m)	£100



Have you heard about our 100 year warranty? READ ALL ABOUT OUR PROMISE ON PAGE 9



## FITTING


## GLUE &amp; UNDERLAY

FOR **GLUING** FLOORS DOWN

(Please note you cannot glue down Lynton, Salcombe and Brecon products)

## MS PARQUET ADHESIVE

Made specifically for use with Woodpecker floors, MS Parquet is recognised for its quality. In just 30 minutes, it will secure wood boards.



CODE	SIZE	COVERS (APPROX)	RRP (INC. VAT)
31-SMS-100	15kg	15m <sup>2</sup>	£176

## WP50 SAUSAGES

Applied using a bulk gun, this purpose-made adhesive is designed for use with Woodpecker's Acoustamat underlay to form a liquid batten system.



CODE	PRODUCT	SIZE	COVERS (APPROX)	RRP (INC. VAT)
23-LBS-001	Sausage	600ml	2m <sup>2</sup>	£14
23-MAG-001	Bulk gun	N/A	N/A	£54

## ACOUSTAMAT

If you are concerned about noise pollution, install an Acoustamat slatted underlay in conjunction with WP50 Sausages to form a liquid batten system.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-SSK-001	3mm	16.5m <sup>2</sup>	£100

FOR **NAILING** FLOORS DOWN

(Please note you cannot nail down Lynton, Salcombe, Design Panels and Brecon products)



## MOISTOP BARRIER PAPER

This moisture resistant barrier paper is perfect if you're using secret nails to secure a wooden floor over a timber-based subfloor. Its bitumen backing self-seals around the nail holes to maintain a moisture barrier and prevent your flooring absorbing moisture from below.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
53-MBP-001	1000	25m <sup>2</sup>	£75



## FOR FLOATING FLOORS

(Please note you cannot float York or Design Panel products)

### FLOORMATE

Floormate provides an excellent moisture protection, and is ideal for areas of heavy foot traffic. Made from rubber, it incorporates a foil vapour barrier and is ideal for any floating floor installation because it combines comfort, support and good sound and thermal insulation.



Eco-friendly:  
Made from  
recycled  
rubber



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-FME-010	3.6mm	10m <sup>2</sup>	£65
49-FME-015	3.6mm	15m <sup>2</sup>	£97

### BASIC 20

Where you have a level and moisture-free subfloor, Basic 20 underlay is a great choice.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-GBO-015	3mm	15m <sup>2</sup>	£29

### AQUASTOP DAMP PROOF MEMBRANE

Designed especially for ground level subfloors where moisture could be present.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-GBP-015	3mm	15m <sup>2</sup>	£36

### SOLITEC


Where gluing down your solid or tongue & groove engineered floor is not possible, this specialist underlay has a strong adhesive top layer for the floor to bond to.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-ST5-003	3mm	10m <sup>2</sup>	£100

### XL UNDERLAY


If your subfloor suffers from some minor dips (up to 3mm) XL Underlay can help solve the problem.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-WXL-001	6	6m <sup>2</sup>	£25

### VAPOUR TAPE

Use this tape when laying a Woodpecker moisture barrier, or products like our XL Underlay tiles.



CODE	SIZE	RRP (INC. VAT)
10-VPT-097	75mm x 25m	£7

### FLOORING GRADE PVA

Woodpecker's flooring grade PVA is the ideal adhesive for bonding tongue and groove floors.



CODE	SIZE	COVERS (APPROX)	RRP (INC. VAT)
31-WPA-505	0.5kg	5m <sup>2</sup>	£7

Wondering how much flooring to order? ROOM SIZE (M<sup>2</sup>) / PACK SIZE (M<sup>2</sup>) + 10% = NO. OF PACKS NEEDED. EASY.

FITTING

TRIMS

TRIM STYLE OPTIONS


LYNTON

SALCOMBE,  
HARLECH, GOODRICH,  
HIGHCLERE, BERKELEY  
AND DESIGN PANELS


YORK, CHEPSTOW

TWIN TRIM


Also called a 'T-bar' or 'expansion', the twin profile is used to cover the expansion gap between two floors of equal height, providing a neat finish at a doorway, or serving as a room divider.



14 - 18 mm




18 - 22 mm




END TRIM


This profile is commonly used for inset mat wells, as well as where wood flooring meets a patio door. They're also called 'edge', 'square edge' or 'end stop' profiles.



14 - 18 mm



18 - 22 mm




RAMP TRIM


Where one surface meets another at uneven heights, a ramp profile is used. Typically, they bridge the gap between vinyl and wood flooring. They are also called 'reducers' or 'adapters'.



14 - 18 mm



18 - 22 mm




SEMI RAMP TRIM


Where two surfaces meet but the difference in height is slight, a semi-ramp profile is the solution. They are ideal where your wood floor transitions to carpet.



14 - 18 mm



18 - 22 mm



COLOUR MATCHING

In addition to our natural oak products, we also offer stained trims to complement our range of stained floors. However, just like our flooring, natural colour variation does occur, so they may not be a 100% colour match.



## LYNTON

TRIM	LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
TWIN	0.9m	£26	£35
	1.8m	£46	£59
END	0.9m	£26	£35
	1.8m	£46	£59
RAMP	0.9m	£26	£35
	1.8m	£46	£59

SALCOMBE, HARLECH, GOODRICH,  
HIGHCLERE, BERKELEY AND DESIGN PANELS

## 14-18MM THICKNESS

TRIM	LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
TWIN	0.9m	£29	£39	£46
	1.8m	£54	£69	£85
END	0.9m	£29	£39	£46
	1.8m	£54	£69	£85
RAMP	0.9m	£34	£44	£58
	1.8m	£64	£80	£117
SEMI RAMP	0.9m	£34	£44	£58
	1.8m	£64	£80	£117

## YORK AND CHEPSTOW

## 18-22MM THICKNESS

TRIM	LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
TWIN	0.9m	£32	£42
	1.8m	£59	£72
END	0.9m	£32	£42
	1.8m	£59	£72
RAMP	0.9m	£37	£47
	1.8m	£69	£95
SEMI RAMP	0.9m	£37	£47
	1.8m	£69	£95




FOR A SMOOTH AND  
NATURAL TRANSITION

## TRIM STYLE OPTIONS

YORK, LYNTON, SALCOMBE, HARLECH, GOODRICH,  
HIGHCLERE, CHEPSTOW, BERKELEY, AND DESIGN PANELS

### FLAT TRIM 20MM


With one curved and one square side, this is a multi-functional trim suitable for a variety of edges and perimeters. A wooden finish with staining available to complement solid and engineered floors.



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
1.2m	£26.40	£28.80
1.8m	£36	£38.40

### FLAT TRIM 44MM


A multi-functional trim perfect for transitions between two floors of the same height. A wooden finish with two curved edges. Staining is available to complement solid and engineered floors.



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
1.2m	£26.40	£28.80
1.8m	£36	£38.40

### OVERLAP STAIR NOSING TRIM


Protect the edges of the flooring on your staircase with a stair nosing trim. This trim will stop excessive wear and tear and looks smart. It comes in colours to complement our flooring.



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
0.9m	£55	£65	£84
1.8m	£99	£117	£157

### TONGUE & GROOVE STAIR NOSING

Available in colours to complement our wood flooring, this tongue and groove stair nosing trim will provide a neat finish on your staircase. Please note tongue & groove stair nosing isn't suitable for Lynton, Salcombe or Goodrich floors.




LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
0.9m	£55	£65	£84
1.8m	£99	£117	£157



Have you heard about our 100 year warranty? [READ ALL ABOUT OUR PROMISE ON PAGE 9](#)

### SCOTIA TRIM

It's not always possible to remove and refit skirting boards when you fit a wood floor, so this inwardly curved trim can be used to hide the expansion gap between skirting and the flooring.



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
1.8m	£23	£25	£37



### STAIRPRO

Available for Harlech, Berkeley and Chepstow floors, this nifty solution is a neater alternative to stair nosing, and gives a modern, clean finish.

LENGTH	RRP (INC. VAT)
900mm	£99
1800mm	£173

## SKIRTING BOARDS

Create a smooth transition from floor to wall, and hide expansion gaps, with attractive Woodpecker skirting boards.



### SOLID OAK

Made from rustic grade timber, and available either lacquered or unfinished, our solid oak skirting looks fantastic. This skirting is double sided and interchangeable so gives you the option of having Torus (beading along the top) or Ogee (with a groove and a head).

Finished size: 20 x 145 x 2350mm

CODE	RRP (INC. VAT)
69-SKU-145 - Unfinished	£84
69-SKO-145 - Lacquered	£84



### OAK VENEER

With a modern pencil round profile, Woodpecker real oak veneered skirting will give the room a classy finish and has a rear rebate to hide wiring. Skirting clips are available for a glueless installation.

Finished size: 16 x 95 x 2500mm

CODE	RRP (INC. VAT)
11-VOS-095 - Skirting	£53
11-SKC-050 - Skirting Clips (Pack of 50)	£32



## TRIMS FOR WOOD DESIGN FLOORS


## BRECON

Our Brecon trim range is the perfect solution for a professional finish - just cut and bond strips of your Brecon top layer to the metal strips for the perfect match.


## BRECON STAIR NOSING TRIM




## BRECON CARPET TRIM




## BRECON TWIN TRIM



## BRECON RAMP TRIM



## BRECON PERIMETER TRIM



## BRECON SCOTIA TRIM



## FITTING BRECON TRIMS

Cut and bond strips of the Brecon top layer to your metal profiles to obtain a perfect match.




VISIT OUR WEBSITE FOR FULL BRECON TRIM INSTALLATION INSTRUCTIONS:

[woodpeckerflooring.co.uk/how-to-install-brecon-trims/](http://woodpeckerflooring.co.uk/how-to-install-brecon-trims/)



TRIM	LENGTH	RRP (INC VAT)
STAIR NOSING	0.9m	£27
	1.8m	£56
CARPET	0.9m	£27
	1.8m	£56
TWIN	0.9m	£12
	1.8m	£25
END	0.9m	£23
	1.8m	£44
RAMP	0.9m	£12
	1.8m	£24
PERIMETER	0.9m	£12
	1.8m	£24
SCOTIA	2.4m	£7




BRECON | BRACKEN OAK

## TRIMS FOR WOOD FLOORS

### METAL


Our metal trims offer a modern, neat and clean finish to floor transitions.

#### METAL TWIN TRIM




LENGTH	SILVER RRP (INC VAT)
0.99m	£18
3.0m	£47

#### METAL RAMP TRIM



LENGTH	SILVER RRP (INC VAT)
0.99m	£18
3.0m	£47

#### METAL END TRIM



LENGTH	SILVER RRP (INC VAT)
0.99m	£18
3.0m	£47

## SKIRTING BOARDS AND PIPE COVERS FOR THE SMALL DETAILS

# FINISHING TOUCHES

### PIPE COVERS

Conceal that unsightly hole around the radiator pipe with an easy-to-fit cover, colour-matched to your natural wood flooring.



#### SOLID

Our hardwood pipe covers come in two halves with a unique jigsaw design so that they clip together creating a seamless join with an inside diameter of 15mm. These are available to complement all wood floors in our catalogue.

COLOUR	PER PACK	RRP (INC. VAT)
Oak or Unfinished	2	£14
Stained or Walnut	2	£19



#### PLASTIC

Because plastic is so malleable, these matt pipe covers slide easily around the radiator pipe then snap closed to cover the gap between floor and pipe. Two colours are available, they have an inside diameter of 15mm, and they are sold in packs of four.

CODE	COLOUR	PER PACK	RRP (INC. VAT)
06-PPO-150	Oak	4	£5
06-PPW-150	White	4	£5

### COLOUR SEALANT

310ml gunnable cartridge for wood and Stratex® and wood design floors, used to perfect the finishing touches.

CODE	COLOUR	RRP (INC. VAT)
06-WCS-001	Colour Sealant Oak	£7
06-WCS-002	Colour Sealant Pine	£7
06-WCS-003	Colour Sealant Walnut	£7
06-WCS-004	Colour Sealant Light Grey	£7



### PROTECTALAY

Save clean-up time, control dust, dirt and debris during renovations with our temporary floor protection. The material provides a strong, moisture-resistant yet breathable shield which can be used to safeguard wood flooring during and after installation.

CODE	SIZE	RRP (INC. VAT)
49-PRL-001	1 x 30m = 30m2/roll	£125



### DESIGN STRIPS

For an elegant and seamless transition from one floor to another, or to add a design statement into a parquet design.

CODE	DIMENSIONS	RRP (INC. VAT)
11-FBB-180 - Brass	9.5mm x 3mm x 1.8m	£47
11-FBS-180 - Brushed Stainless Steel	9.5mm x 3mm x 1.8m	£47







## CHECKLIST

Here's a handy list to check off those essentials for the perfect floor finish:

1

Is your subfloor level and sound?

---

2

Have you chosen your underlay and/or adhesive?

---

3

Do you need trims for a seamless transition between rooms?

---

4

Don't forget your skirting boards and pipe covers for a pristine finish.

---

5

Discover our cleaning and maintenance range on page 146 - 149 to clean and preserve the beauty of your floor.

---



## CLEANING & MAINTENANCE MADE EASY

# ALL FLOORS



1

### DOOR MATS

A good quality floor mat will catch dirt and grit, reducing the risk of damage to your floor. Grit underfoot is like sandpaper, scratching the floor's finish, so consider fitting Woodpecker Coir Matting which provides a barrier to wet and dirty feet.



2

### RUGS OR CARPET RUNNERS

We know the last thing you want to do is cover up the beautiful texture of your floor, but sometimes prevention is better than the cure. Consider rugs or carpet runners for high footfall areas such as doorways, halls and stairs.



3

### BE CAREFUL WITH FURNITURE

Never drag furniture or other objects across your floor – it can easily result in unsightly dents or scratches. Woodpecker offers a variety of felt protectors and castor cups that enable you to move furniture easily without marking your floor.



4

### SHOE RULES

Avoid wearing heavy shoes or work boots when stepping onto your floor. High heels, and stilettos in particular, should be avoided. They exert a huge amount of pressure that easily dents or marks even the toughest of floors.



5

### PET PATROL

Nothing's more natural than a dog or cat curled up by the fire, asleep on your floor. But remember to keep your pet's claws trimmed to prevent scratches and if there are any 'accidents' make sure they're cleaned up fast.



6

### SUNSHINE

Sunlight will naturally help a floor's colour to mellow, so move rugs, mats and furniture regularly to ensure an even maturing of colour. Excessive exposure to direct sunlight can lead to expansion/shrinkage, warping and splitting. Consider shading your floor from large windows that face the sun.

### COIR MATTING

Coir matting is a great way of protecting your floor.

CODE	WIDTH	RRP (INC. VAT)
42-COI-010	1000mm	£48



### CASTOR CUPS

Protect your floor from the dents, pressure marks and scratches that could be caused by heavy furniture.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
05-FCC-363	Castor Cups x 4 Light Wood Grain	44mm	£9
05-FCC-364	Castor Cups x 4 Light Wood Grain	60mm	£9



### FELT PADS

Place underneath all types of furniture including dining chairs and table legs to protect from scratches.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
05-FFP-951	Heavy Duty Felt Pads x 20 (Round)	19mm	£5
05-FFP-952	Heavy Duty Felt Pads x 16 (Round)	25mm	£5
05-FFP-953	Heavy Duty Felt Pads x 8 (Round)	38mm	£5
05-FFP-947	Heavy Duty Felt Pads (Multipack)	Various	£9
05-FFP-950	Heavy Duty Felt Pads x 2 (Rectangular)	113x 153mm	£9



### EXPERT TIP

Over time, felt pads collect grit and so to prevent any unnecessary scratches on your floor, remember to renew them every so often.

## CLEANING KIT

Love your floor and keep it in tip-top condition with a Woodpecker Cleaning Kit. Using our Floor Cleaning & Care guide inside, you will be able to ensure your floor looks its best and lasts even longer.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
77-CKO-001	Cleaning Kit for Oiled Wood Floors	1L	£44
77-CKL-001	Cleaning Kit for Lacquered Wood Floors and Wood Design Floors	1L	£44
77-COC-001	Cleaning Liquid Refill for Oiled Wood Floors	1L	£10
77-CLC-001	Cleaning Liquid Refill for Lacquered Wood Floors and Wood Design Floors	1L	£10
77-CKM-001	Replacement Mop Head	1L	£12

Includes:

- Cleaning liquid
- Gentle spray mop with refillable cartridge
- Washable cover
- Floor cleaning & care guide



### LIGHT CLEANING

Regular sweeping with a soft bristled broom will get rid of dust and rogue bits of grit on the floor. You can also vacuum your floor – with a soft brush attachment to minimise scratching.



### MOPPING

Always use a well-wrung mop when cleaning and remove excess liquid immediately. Woodpecker supplies specially formulated Cleaning Kits that include a gentle Spray Mop, Cleaning Liquid and Care Guide for both lacquered and oiled finishes.



### CLEAN UP SPILLS

Liquid is the enemy, so mop up any spilled drinks and never allow water or other liquids to sit for any length of time. The odd drop may not hurt, but excessive amounts of water will cause lasting damage.



### EXPERT TIP

We recommend only using Woodpecker Care products. Other products may lead to inferior results or leave harmful residues.



## CLEANING & MAINTENANCE MADE EASY

# OILED FLOORS

1



### CLEANING OILED FLOORS

For a deeper clean now and again, use Woodpecker One Coat Soap. This clever product will clean your floor and form a protective film, helping to build its surface resistance over time and making your floor even easier to maintain.

2



### A QUICK TEST

A good way to check whether your floor needs treatment is to pour a few drops of water onto its surface. If the finish is in good order, the water will bead on the floor and can easily be wiped away. No maintenance is needed. If the water slowly soaks into the timber, leaving behind a light saturation mark, the finish is starting to wear thin. A new coat of oil should be applied. However, if the water is immediately absorbed and leaves a dark stain, the finish has been completely worn away and the floor may need sanding and re-coating.

3

### RE-OILING & REPAIRS

Unlike lacquered floors, isolated areas of an oiled floor can be treated without having to re-oil the entire floor. Oiled wood floor that need re-oiling can be restored by applying Woodpecker One Coat Oil.



#### EXPERT TIP

Before any treatment is carried out, we recommend testing in an inconspicuous area of the floor to check compatibility.

### CLEANING KIT (OILED FLOORS)

Includes our specially formulated Cleaning Liquid and a gentle spray mop with a refillable cartridge and washable cover.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
77-CKO-001	Cleaning Kit for Oiled Wood Floors	1L	£44
77-COC-001	Cleaning Liquid Refill for Oiled Wood Floors	1L	£10



### ONE COAT SOAP

If your Woodpecker floor has an oiled finish, clean it with One Coat Soap.

CODE	SIZE	RRP (INC. VAT)
81-OCS-002	2L	£68



### ONE COAT CLEANER

Prepare the surface of your sanded or oiled floor for re-oiling.

CODE	SIZE	RRP (INC. VAT)
81-OCC-001	1L	£39



### ONE COAT OIL

Restore the rich natural colours and textures of your wooden floor.

CODE	SIZE	COVERS	RRP (INC. VAT)
81-OCO-001	1L	40-50m <sup>2</sup> /L	£119



### TOUCH UP OIL

Conceal scratches on your oiled floor quickly and easily by applying Touch Up Oil.

CODE	SIZE	FINISH	RRP (INC. VAT)
02-TUO-080	100ml	Pure (enriches)	£16



CLEANING &  
MAINTENANCE  
MADE EASY

## LACQUERED/WOOD DESIGN FLOORS



### CLEANING LACQUERED & WOOD DESIGN FLOORS

For a deeper clean every so often, use a higher concentrated mix of the Woodpecker Cleaning Liquid. This will help thoroughly clean your floor.



### RE-LACQUERING & REPAIRS

If your lacquered floor gets any isolated scratches or dents, these can be sealed using Woodpecker Scratch Cover according to the instructions supplied.

Deeper scratches or gouges can be filled in using Woodpecker Scratch Repair Sticks. Afterwards, apply some Woodpecker Scratch Cover to give the repair a protective finish.

Extra care is needed when sanding stained floors to ensure that the process doesn't break through the complete layer of stain. In this instance, the floor would require a patch-repair before the lacquer is applied.

If the floor is badly worn in some places, it may be necessary to sand the flooring back to its unfinished surface before recoating all over. Unlike oil, lacquer doesn't penetrate the wood's surface, instead it sticks to it so the entire floor must be covered to avoid ridges and overlap marks. Apply several coats if your floor faces lots of foot traffic.



### BRECON FLOOR REPAIRS

The best way to conceal small scratches and marks on our Brecon range is with Scratchfix – a quick and easy method to restore scratches on resilient floors.

Included in the kit is a Scratchfix Spray, which will help to restore tired, worn areas of your floor.

### CLEANING KIT

Includes our specially formulated Cleaning Liquid and a gentle spray mop with a refillable cartridge and washable cover.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
77-CKO-001	Cleaning Kit for Lacquered/Wood Design Floors	1L	£44
77-COC-001	Cleaning Liquid Refill for Lacquered/Wood Design Floors	1L	£10



### SCRATCH REPAIR STICKS

Our scratch Repair Sticks are great for filling and hiding deep scratches.

CODE	COLOUR	RRP (INC. VAT)
02-SPS-001	Various	£8



### SCRATCH COVER

Cover scuffs, chips, scratches and other minor marks in the surface of wood flooring.

CODE	SIZE	COLOUR	RRP (INC. VAT)
02-SCD-001	100ml	Dark	£6
02-SCM-001	100ml	Medium	£6
02-SCL-001	100ml	Light	£6




### SCRATCHFIX REPAIR KIT

Scratchfix offers a quick and easy method to minimize scratches on resilient floors – an ideal solution to help conceal accidental marks on our Brecon range.

CODE	RRP (INC. VAT)
21-FIX-001	£69






EXPERT KNOWLEDGE

## TECHNICAL

---

A Woodpecker floor is beautiful when installed with consideration and care. The next few pages will help you with some useful tips.

If you need any further help, our expert team are happy to talk through any queries with you. Call us on 02920 888 223 or email us at [info@woodpeckerflooring.co.uk](mailto:info@woodpeckerflooring.co.uk).





## INSTALLATION

## PREPARATION

**BEFORE DELIVERY**

Ensure concreting, plastering and decorating are complete, the building is thoroughly dried out and windows and doors are fitted and watertight.

**HEATING AND AIR CONDITIONING**

Room temperature and humidity levels need to be stable before flooring is delivered. Heating/air conditioning should be on for at least two weeks before the floor is laid. Underfloor heating must be thoroughly tested, and turned off 48 hours before fitting.

**PREPARING THE SUBFLOOR**

The subfloor must be in good structural condition, free from damp rot, fungal or insect infestation and contaminating residues. It must be flat with bumps and dips not exceeding 3mm over a 2m area, vacuumed and free of debris. Hot pipes should be well insulated to prevent localised hotspots, which can cause warping or shrinkage.

**LEVELLING THE FLOOR**

If the subfloor needs to be levelled, apply our Level-X™ Primer followed by Level-X™ Self-Levelling Compound, which is fibre reinforced. Latex self levelling compounds should only be used when the floor will be floated. Minor undulations can be disguised using the Woodpecker XL Underlay.

**SUBFLOOR**

A rule of thumb for the drying time of a sand and cement-based screed is one day per millimetre for the first 50mm, and 2.5 days for each millimetre thereafter. So, a 50mm screed should take about two months to dry out, and a 100mm screed will take six months. Plaster takes up to six weeks to dry completely.

**DAMP PROOFING**

Moisture is the enemy of natural wood, and can damage your beautiful flooring. Even when your subfloor looks dry, it may contain excess moisture in the substrate. Using a professional moisture meter such as the Protimeter MMS will tell you whether or not it's safe to go ahead with installation. Readings shouldn't exceed:

- 70% Relative Humidity (RH)  
for cement-based concrete
- 11% Wood Moisture Equivalent (WME)  
for wooden subfloors or joists

*NB: The subfloor should be prepared for installation in accordance with the industry standards outlined in BS-8201-2011.*

**ATMOSPHERIC CONDITIONS**

Room temperature shouldn't be lower than 18°C (64°F), or floor temperature lower than 15°C (59°F). The Atmospheric Relative Humidity should be between 40 and 60%.

**ACCLIMATISATION**

The sealed, unopened boxes should be laid flat, in the centre of the room for 24 hours (wood design), 3-4 days (engineered) or 5-7 days (solid), in typical living conditions. DO NOT store it outdoors, in an outbuilding, or anywhere with damp/condensation problems.

**INSPECTION**

Check each plank before installation. If there are any problems, get in touch with us so that we can rectify them. We can't consider any defects after the floor has been installed.

**LAYING THE FLOOR**

We recommend that our flooring is installed by an experienced fitter. If the flooring is laid over floorboards, it should be positioned at right angles to the previous planks. Otherwise we recommend laying planks in the same direction as the light entering the room, mixing lighter and darker shades. Use underlay as recommended and fit according to installation instructions.

*Disclaimer: Installation guidance is advisory and is based on established good practice and the BS-8201-2011 standard. It is the fitter's responsibility to follow these procedures before, during and after installation. Woodpecker cannot accept responsibility for any issues relating to installation.*



VISIT OUR WEBSITE FOR  
FULL PREPARATION AND  
INSTALLATION DETAILS:

[woodpeckerflooring.co.uk/  
installation-instructions/](http://woodpeckerflooring.co.uk/installation-instructions/)

## INSTALLATION

# FIXING

### TONGUE & GROOVE



#### FULLY STUCK DOWN

Tongue and groove planks can be fixed directly to a concrete subfloor using Woodpecker Parquet MS Adhesive. Never glue the tongue and grooves together if you choose to fully stick down a wood floor as the boards could crack.



#### FLOATING

When laying a floating floor, you should glue tongue and groove boards together for stability, and to stop squeaking. Run adhesive along the groove of the long side and header joint of a plank. Slide it towards the long edge of the facing tongue with the header joint connected, then tighten with a tapping block or pulling iron.



#### NAILING

A tongue and groove wood floor can be secret nailed to an existing timber subfloor or, as long as the flooring is 18mm or thicker, fixed directly to joists as a structural floor.

The subfloor must be of a suitable width and thickness to hold 50mm cleats fixed into it at a 45° angle. Joists should be kiln dried to avoid cupping or expansion and must be spaced in accordance with building regulations.

When secret nailing to the subfloor or joists, always use a Woodpecker Moistop Barrier Paper, for a moisture barrier. Flooring should be fitted at 45° or 90° to the subfloor and nailed over every joist.

Never use adhesive to glue between boards if it's being nailed down. The glue will inhibit the natural flexibility of the flooring and could cause cracks.



### EXPERT TIPS

#### DON'T OVERGLUE

Never glue the tongue and grooves together if you choose to fully stick down a wood floor. Too much pressure will be placed on the boards and they could crack.

#### IT'S NAILS OR GLUE, NOT BOTH

Never use adhesive to glue between boards if it's being nailed down. The glue will inhibit the natural flexibility of the flooring and could cause cracks.

### EASILOC



#### FLOATING

Floating a floor means that boards are loose laid over the subfloor rather than glued, nailed or screwed down. A floating floor can be installed on concrete, anhydrite, existing wood floor, chipboard, ceramic tiles, PVC and linoleum – but not carpet.

If possible, it's easiest to 'LOC' the boards in complete rows rather than individually. When connecting the header joints, insert the board into the lip at an angle of 30° and at the same time move the board closer and lower into position. It should 'LOC' into place. If it won't go, don't force it. Check the board for dirt, excess lacquer or any other obstruction, remove that, and try again.



## QUICK FITTING TIPS



To allow for expansion gaps, spacers should be used at regular intervals when fitting and then removed before skirting boards, beading or trims are put in place.

### EXPANSION GAPS

As wood is a natural substance, it will expand and contract with changes in the temperature and humidity. Therefore, expansion gaps need to be left to allow the floor to move.

To determine how much space needs to be left:

- Expansion gaps for solid wood floor should be 10 - 15mm regardless for floors measuring up to 5m in width. For engineered, the same gap should be used for areas up to 8m in width. Thereafter, for both types of floors, an extra 2mm per metre should be added.
- Floors with Stratex® technology will need expansion where there is likely to be temperature variation outside of normal living conditions (15°C to 25°C)
- Skirting boards should be fixed to the wall and shouldn't obstruct the movement of the floor in any way.
- Please see page 140 - 141 for our full range of trims that can be used to conceal your expansion gaps.

## UNDERFLOOR HEATING

### BEFORE INSTALLATION

- Turn off the underfloor heating for at least 48 hours prior to fitting the floor.
- Use expansion trims to allow for movement between different heating zones or unheated areas.

### TEMPERATURE CONTROL

Ensure the system is calibrated so that the temperature to the underside of the wood floor never reaches more than 27°C, even if the thermostat setting is increased.

### AFTERCARE

- Once fitted, the floor should be left to acclimatise for 2-3 days before the underfloor heating is turned on.
- When the heating is switched on it should be set at 1°C above the ambient temperature of the room and then raised by a further 1°C per day until the desired temperature is reached. Do not turn it on full straight away. Raising and lowering the temperature too quickly can cause the wood to shrink, expand or even crack.
- Gradual temperature changes should be continued, with 1°C changes per day to accommodate the changing seasons.



### CALL OUR TEAM OF EXPERTS

If you need any further help, our expert team are happy to chat through any queries you have. You can reach us on 02920 888 223 or email us at [info@woodpeckerflooring.co.uk](mailto:info@woodpeckerflooring.co.uk).



Have you heard about our planting scheme? VISIT [WOODPECKERFLOORING.CO.UK/PLANTING](http://WOODPECKERFLOORING.CO.UK/PLANTING)

HANDY TOOLS



## RANGE AT A GLANCE

—  
A handy comparison tool to help  
you find the perfect floor.





## SOLID WOOD FLOORING

	CODE	PRICE (inc. vat)	THICKNESS	DIMENSIONS	PACK-SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
<b>YORK</b>													
WHITE WASHED OAK	36-YVW-150	£96/m <sup>2</sup>	18mm	150 x Random Lengths*	1.98m <sup>2</sup> Variable no.	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	20
RUSTIC OAK OILED	36-YRO-150	£91/m <sup>2</sup>	18mm	150 x Random Lengths*	1.98m <sup>2</sup> Variable no.	Rustic	Oiled	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	20
RUSTIC OAK LACQUERED	36-YOR-150	£91/m <sup>2</sup>	18mm	150 x Random Lengths*	1.98m <sup>2</sup> Variable no.	Rustic	Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	20
TAWNY OAK	36-YTO-150	£96/m <sup>2</sup>	18mm	150 x Random Lengths*	1.98m <sup>2</sup> Variable no.	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	21
SELECT OAK 	36-YBM-150	£127/m <sup>2</sup>	18mm	150 x Random Lengths*	1.98m <sup>2</sup> Variable no.	Select	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	23
ANTIQUE OAK 	36-YOA-150	£113/m <sup>2</sup>	18mm	150 x Random Lengths*	1.98m <sup>2</sup> Variable no.	Rustic	Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	23

| \* 700mm average









## ENGINEERED WOOD FLOORING

	CODE	PRICE (inc. vat)	THICKNESS	DIMENSIONS	PACK-SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
<b>LYNTON</b>													
SEAGRASS OAK	33-LYT-005	£74/m <sup>2</sup>	7mm	165 x 1220mm	2.01m <sup>2</sup> 10 planks	Rustic	B & M Lacquered	Easiloc	Micro-Bevelled	Floated	Suitable	Hard	30
CHIFFON OAK	33-LYT-006	£74/m <sup>2</sup>	7mm	165 x 1220mm	2.01m <sup>2</sup> 10 planks	Rustic	B & M Lacquered	Easiloc	Micro-Bevelled	Floated	Suitable	Hard	31
ESTUARY OAK	33-LYT-004	£74/m <sup>2</sup>	7mm	165 x 1220mm	2.01m <sup>2</sup> 10 planks	Rustic	B & M Lacquered	Easiloc	Micro-Bevelled	Floated	Suitable	Hard	31
NATURAL OAK	33-LYT-001	£74/m <sup>2</sup>	7mm	165 x 1220mm	2.01m <sup>2</sup> 10 planks	Rustic	B & M Lacquered	Easiloc	Micro-Bevelled	Floated	Suitable	Hard	32
EVENING OAK	33-LYT-003	£74/m <sup>2</sup>	7mm	165 x 1220mm	2.01m <sup>2</sup> 10 planks	Rustic	B & M Lacquered	Easiloc	Micro-Bevelled	Floated	Suitable	Hard	33
WEALD OAK	33-LYT-002	£74/m <sup>2</sup>	7mm	165 x 1220mm	2.01m <sup>2</sup> 10 planks	Rustic	B & M Lacquered	Easiloc	Micro-Bevelled	Floated	Suitable	Hard	33


















	CODE	PRICE (inc vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
<b>SALCOMBE</b>													
CHALKED OAK	45-WAW-020	£91/m <sup>2</sup>	14mm 3mm wear	190 x 1900mm**	2.888m <sup>2</sup> 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	36
SEASHORE OAK	45-WDG-013	£91/m <sup>2</sup>	14mm 3mm wear	190 x 1900mm**	2.888m <sup>2</sup> 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	36
MOONBEAM OAK	45-WAB-014	£91/m <sup>2</sup>	14mm 3mm wear	190 x 1900mm**	2.888m <sup>2</sup> 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	39
DUNE OAK	45-WGR-016	£91/m <sup>2</sup>	14mm 3mm wear	190 x 1900mm**	2.888m <sup>2</sup> 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	39
SHADOW OAK	45-WAC-017	£91/m <sup>2</sup>	14mm 3mm wear	190 x 1900mm**	2.888m <sup>2</sup> 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	40
NATURAL OAK 3 STRIP	46-WOU-003	£78/m <sup>2</sup>	14mm 3mm wear	182 x 2190mm**	3.587m <sup>2</sup> 9 planks	Rustic	Lacquered	Easiloc	Square	Floated	Suitable	Hard	40
NATURAL OAK	45-WGO-000	£91/m <sup>2</sup>	14mm 3mm wear	190 x 1900mm**	2.888m <sup>2</sup> 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	41
<b>HARLECH</b>													
WHITE OILED OAK	35-HWO-189	£98/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	45
RAW OAK	35-HRA-001	£98/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	45
RAW OAK	◊ L 35-HRA-240	£121/m <sup>2</sup>	15mm 4mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	54
ECRU OAK	35-HOE-001	£98/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	46
FEATHER OAK	35-HFF-002	£98/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	47
WHITE SMOKED OAK	35-HSW-001	£98/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	47
WHITE SMOKED OAK	◊ L 35-HWS-240	£121/m <sup>2</sup>	15mm 4mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	54
RUSTIC OAK OILED	35-HOC-148	£90/m <sup>2</sup>	15mm 4mm wear	150 x 1900mm**	1.71m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	48
RUSTIC OAK OILED	35-HRO-001	£94/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	48
RUSTIC OAK OILED	◊ L 35-HOR-240	£118/m <sup>2</sup>	15mm 4mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	55
RUSTIC OAK LACQUERED	35-HOB-001	£90/m <sup>2</sup>	15mm 4mm wear	150 x 1900mm**	1.71m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	48
RUSTIC OAK LACQUERED	35-HBL-001	£94/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	48
RUSTIC OAK LACQUERED	◊ L 35-HRO-240	£118/m <sup>2</sup>	15mm 4mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	55

	CODE	PRICE (inc. Vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
<b>HARLECH CONTD.</b>													
SMOKED OAK	35-HSO-001	£98/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	49
BISCOTTI OAK	35-HGO-002	£98/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	49
COFFEE OAK	35-HCO-001	£98/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	50
COGNAC OAK	35-HOC-190	£98/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	50
ESPRESSO OAK	35-HEO-001	£98/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	52
CHOCOLATE OAK	35-HCW-001	£98/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	52
STORMY OAK	35-HWG-001	£118/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	53
SELECT OAK OILED	⬇ 35-HOO-005	£127/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Select	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	55
SELECT OAK LACQUERED	⬇ 35-HOL-001	£127/m <sup>2</sup>	15mm 4mm wear	190 x 1900mm**	2.166m <sup>2</sup> 6 planks	Select	Matt Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	55
<b>GOODRICH</b>													
WHITENED OAK	32-GWH-001	£109/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	59
ECRU OAK	32-GEO-001	£109/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	59
FEATHER OAK	32-OGW-001	£113/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	61
FEATHER OAK CHEVRON	⬇ 32-CGR-001	£133/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	66
RAW OAK	32-GRO-001	£113/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	61
RAW OAK CHEVRON	⬇ 32-GRC-001	£133/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	66
WHITE SMOKED OAK	32-GWS-001	£113/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	62
NATURAL OAK	32-GNA-001	£100/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	62
SMOKED OAK	32-GFO-001	£113/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	64
COFFEE OAK	32-GCO-001	£109/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	64
BISCOTTI OAK	32-GGO-001	£113/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	65

\*\* Packs may include cut lengths

	CODE	PRICE (inc vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
<b>GOODRICH CONTD.</b>													
ESPRESSO OAK	32-GCW-001	£113/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	65
SALTED OAK 	32-SGR-001	£129/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	69
CATHEDRAL OAK 	32-GOC-001	£133/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	69
BARN OAK 	32-GBO-001	£133/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	70
SPICED OAK 	32-GSO-001	£133/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	70
FOUNDRY OAK 	32-GMO-001	£133/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	72
CHARRED OAK 	32-GCD-001	£133/m <sup>2</sup>	15mm 4mm wear	90 x 400mm	1.296m <sup>2</sup> 36 planks	Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	72
<b>HIGHCLERE</b>													
FEATHER OAK	32-HFO-001	£118/m <sup>2</sup>	15mm 4mm wear	120 x 600mm	1.44m <sup>2</sup> 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	77
NATURAL OAK	32-HNO-001	£109/m <sup>2</sup>	15mm 4mm wear	120 x 600mm	1.44m <sup>2</sup> 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	77
COFFEE OAK	32-HCO-001	£118/m <sup>2</sup>	15mm 4mm wear	120 x 600mm	1.44m <sup>2</sup> 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	78
BISCOTTI OAK	32-HBO-001	£118/m <sup>2</sup>	15mm 4mm wear	120 x 600mm	1.44m <sup>2</sup> 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	78
<b>CHEPSTOW</b>													
RUSTIC OAK UNFINISHED	65-HMU-001	£121/m <sup>2</sup>	21mm 6mm wear	189 x 1860mm**	2.11m <sup>2</sup> 6 planks	Rustic	Unfinished	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	82
RUSTIC OAK LACQUERED	65-HML-001	£123/m <sup>2</sup>	21mm 6mm wear	189 x 1860mm**	2.11m <sup>2</sup> 6 planks	Rustic	Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	82
RUSTIC OAK BRUSHED AND OILED	65-HBO-001	£123/m <sup>2</sup>	21mm 6mm wear	189 x 1860mm**	2.11m <sup>2</sup> 6 planks	Rustic	Brushed & Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	82
RUSTIC OAK BRUSHED AND OILED 	65-HBO-002	£143/m <sup>2</sup>	21mm 6mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	Brushed & Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	87
PLANED GREY OAK	65-POG-001	£134/m <sup>2</sup>	21mm 6mm wear	189 x 1860mm**	2.11m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	83
WASHED OAK	65-RWA-001	£134/m <sup>2</sup>	21mm 6mm wear	190 x 1900mm**	1.444m <sup>2</sup> 4 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	83
WASHED OAK 	65-RWA-002	£155/m <sup>2</sup>	21mm 6mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	87



	CODE	PRICE (inc Vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
<b>CHEPSTOW CONTD.</b>													
ANTIQUE OAK	65-POA-001	£134/m <sup>2</sup>	21mm 6mm wear	189 x 1860mm**	2.11m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	85
ANTIQUE OAK 	65-POA-002	£152/m <sup>2</sup>	21mm 6mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	88
PLANED COCOA OAK	65-POC-001	£134/m <sup>2</sup>	21mm 6mm wear	189 x 1860mm**	2.11m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	85
SAWN GREY OAK 	65-SOG-001	£152/m <sup>2</sup>	21mm 6mm wear	189 x 1860mm**	2.11m <sup>2</sup> 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	86
DISTRESSED CHARCOAL OAK 	65-AOC-001	£152/m <sup>2</sup>	21mm 6mm wear	190 x 1900mm**	1.444m <sup>2</sup> 4 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	88
DISTRESSED CHARCOAL OAK 	65-AOC-002	£172/m <sup>2</sup>	21mm 6mm wear	240 x 2200mm**	2.11m <sup>2</sup> 4 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	88
<b>BERKELEY</b>													
WHITE OAK 	38-BWO-005	£123/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	93
GREY OAK 	38-BAG-001	£123/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	93
CALICO OAK 	38-BCC-001	£150/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	94
SMOKED OAK 	38-BOS-003	£123/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	94
CENTURY PINE 	38-BMC-001	£123/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Not Suitable	Medium	97
COTTAGE OAK 	38-BDW-001	£150/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	97
CATHEDRAL OAK 	38-BCD-001	£150/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	98
BURNT OAK OAK 	38-BOA-006	£123/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	99
CLASSIC WALNUT 	38-BCW-001	£150/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	99
RUGGED OAK 	38-BRO-001	£150/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	100
CHARTERHOUSE OAK 	38-BOC-001	£150/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	100
PRIORY OAK 	38-BPO-001	£150/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	103
CELLAR OAK 	38-BCO-001	£150/m <sup>2</sup>	15mm 4mm wear	190 x 1860mm**	2.11m <sup>2</sup> 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	103

| \*\* Packs may include cut lengths

## DESIGN PANEL FLOORING

	CODE	PRICE (inc. vat)	THICKNESS	DIMENSIONS	PACK SIZE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
<b>DESIGN PANELS</b>												
SANDRINGHAM LIMED OAK BEVEL	44-DCP-001	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	108
SANDRINGHAM LIMED OAK	44-DCP-013	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	108
SANDRINGHAM ROYAL OAK BEVEL	44-DCP-002	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	108
SANDRINGHAM ROYAL OAK	44-DCP-014	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	108
SANDRINGHAM AGED OAK BEVEL	44-DCP-003	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	108
SANDRINGHAM AGED OAK	44-DCP-015	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	108
CLARENCE LIMED OAK BEVEL	44-DCP-007	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	108
CLARENCE LIMED OAK	44-DCP-016	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	108
CLARENCE ROYAL OAK BEVEL	44-DCP-008	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	108
CLARENCE ROYAL OAK	44-DCP-017	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	108
CLARENCE AGED OAK BEVEL	44-DCP-009	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	108
CLARENCE AGED OAK	44-DCP-018	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	108
HIGHGROVE LIMED OAK	44-DCP-010	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	111
HIGHGROVE ROYAL OAK	44-DCP-011	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	111
HIGHGROVE AGED OAK	44-DCP-012	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	111
GATCOMBE LIMED OAK	44-DCP-004	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	111
GATCOMBE ROYAL OAK	44-DCP-005	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	111
GATCOMBE AGED OAK	44-DCP-006	£320/m <sup>2</sup>	15mm	750 x 750mm	0.56m <sup>2</sup> 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	111

# WOOD DESIGN FLOORING

	CODE	PRICE (inc vat)	THICKNESS	DIMENSIONS	PACK SIZE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
<b>BRECON</b>												
GLAICAL OAK	29-BRE-025	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	118
IVORY OAK	29-BRE-007	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	118
SEASHELL OAK	29-BRE-009	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	119
SEASHELL OAK HERRINGBONE	29-BRE-026	£53/m <sup>2</sup>	6mm	120 x 600mm	1.44m <sup>2</sup> 20 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	119
DOVE OAK	29-BRE-005	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	120
WAREHOUSE OAK	29-BRE-012	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	120
RIVER OAK	29-BRE-002	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	121
RIVER OAK HERRINGBONE	29-BRE-017	£53/m <sup>2</sup>	6mm	120 x 600mm	1.44m <sup>2</sup> 20 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	121
WHISPER	29-BRE-011	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	123
WHISPER OAK HERRINGBONE	29-BRE-016	£53/m <sup>2</sup>	6mm	120 x 600mm	1.44m <sup>2</sup> 20 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	123
BLANCHE OAK	29-BRE-022	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	124
BLANCHE OAK HERRINGBONE	29-BRE-027	£53/m <sup>2</sup>	6mm	120 x 600mm	1.44m <sup>2</sup> 20 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	124
BARLEY OAK	29-BRE-006	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	125
FARM OAK	29-BRE-003	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	125
VINTAGE OAK	29-BRE-015	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	126
VINTAGE OAK HERRINGBONE	29-BRE-018	£53/m <sup>2</sup>	6mm	120 x 600mm	1.44m <sup>2</sup> 20 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	126
VALLEY OAK	29-BRE-014	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	128
BRACKEN OAK	29-BRE-024	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	128
HERITAGE OAK	29-BRE-023	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	129
WEATHERED OAK	29-BRE-021	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	129
SHORELINE OAK	29-BRE-020	£50/m <sup>2</sup>	6mm	180 x 600-1220mm	2.2m <sup>2</sup> 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	130
SHORELINE OAK HERRINGBONE	29-BRE-019	£53/m <sup>2</sup>	6mm	120 x 600mm	1.44m <sup>2</sup> 20 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	130



See what you like? ORDER FREE SAMPLES FROM [WOODPECKERFLOORING.CO.UK](http://WOODPECKERFLOORING.CO.UK)



# WOODPECKER FLOORING - TERMS & CONDITIONS OF SALE

In the unlikely event that goods are delivered wrong or damaged, it is the responsibility of the customer to ensure sufficient time is allowed for a replacement to be sent.

## 1. DEFINITIONS

In these terms and conditions, the following words shall have the following meanings:

"Buyer" shall mean any person, firm or company, to whom the Company supplies Goods or Services or with whom the Company enters into negotiations for the supply of Goods or Services.

"Company" shall mean Woodpecker Trading Co Ltd.

"Goods" shall mean products, articles or things which are supplied by or which are the subject of negotiations for supply by the Company to the Buyer.

"Services" shall mean services are supplied by or which are the subject of negotiations for supply by the Company to the Buyer.

## 2. MAKING THE CONTRACT

2.1 The Company's salesmen are not authorised representatives and are not authorised to accept confirm or vary any order nor to make any representation or promise on the Company's behalf.

2.2 Any estimate/quotation which comprises an invitation to treat is open for a period of 30 days only from the date thereof, provided that the Company has not previously withdrawn it. Any order issued by the Buyer is subject to acceptance by the Company and a contract will only be formed when the Company has accepted the Buyer's offer to buy in writing. Any offer made by the Buyer must be confirmed in writing by the Buyer.

2.3 All orders are placed under these terms and conditions alone.

2.4 These terms and conditions exclude any other terms and conditions inconsistent therewith which a Buyer might seek to impose even though such other terms and conditions may be submitted in a later document and/or purport to exclude or supersede any terms or conditions with them or may be contained in any offer acceptance or counter-offer made by the Buyer.

2.5 All offers supplied by the Company must be fitted in accordance with BS8201 (2011).

2.6 No variation of these terms and conditions is permitted unless expressly accepted by a Director of the company in writing.

## 3. CANCELLATION

3.1 No cancellation by the Buyer is permitted except where expressly agreed by a Director of the Company in writing.

3.2 The Buyer will in the event of agreed cancellation by the Buyer indemnify the Company fully against all expenses incurred up to the time of such cancellation together with by way of liquidated damages a sum of 33 1/3% of the contract price which shall be paid by the Buyer to the Company forthwith.

## 4. PRICE

4.1 All prices quoted are those ruling at the date of dispatch or

4.2 Unless otherwise stated all prices quoted are net, exclusive of VAT, and in the case of Goods ex works.

4.3 The Company reserves the right at any time prior to delivery of the Goods or supply of Services to adjust the price to take account of any increase in the cost of raw materials, labour or services or any currency fluctuations affecting the cost of imported materials or services.

## 5. TERMS OF PAYMENT

5.1 All sums become due and payable under these terms and conditions not later than 20th of the month following date of invoice.

5.2 Time for payment shall be of the essence.

5.3 The Company reserves the right to charge interest at 2.5 per centum per month on all overdue accounts, such interest being deemed to accrue on a day to day basis from the due date for payment under clause 5.1.

5.4 If the Buyer (being a Company) has a petition for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed or all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangement with its creditors or commits a material or serious breach of this Agreement (and in the case of such a breach being remediable fails to remedy it within 7 days of receiving notice to do so) he will be deemed to have repudiated the Contract.

5.5 The Company reserves the right at any time at its discretion to demand security for payment before continuing with or delivering any Order, supplying any Goods or Services.

5.6 The Buyer accepts that in the event of non-payment within the payment period the Company will resort to legal action to recover the debt in this instance a 20% surcharge will be added to the outstanding amount to cover administration and agents fees.

5.7 Where the Buyer is a company the directors agree to guarantee payment personally, both jointly and severally, of any outstanding amounts due in the event of their company being unable to meet its financial commitments or becoming insolvent.

## 6. DELIVERY

6.1 Delivery will be deemed to have been effected when the Goods are ready for collection at the premises of the Company or as the case may be the premises of the suppliers to the Company in circumstances where the Goods are delivered direct from such suppliers.

6.2 Time of delivery is not of the essence.

6.3 The Company shall not be liable for any loss whatsoever or howsoever arising caused by its non-delivery or by the failure to make Goods ready for collection on the due date.

6.4 The Company reserves the right to make delivery by instalments and to tender a separate invoice in respect of each instalment.

6.5 When delivery is to be by instalments or the Company exercises its right to deliver by instalments under clause 6.4 hereof or if there be delay in the delivery of any one or more instalments

for whatever reason this will not entitle the Buyer to treat the contract as repudiated and/or to damages.

6.6 Deviations in quantity between the Goods delivered and Orders ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Goods or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Goods delivered.

## 7. SUPPLY OF SERVICES

7.1 Time for the supply of Services is not of the essence.

7.2 The Company shall not be liable for any loss whatsoever or howsoever arising caused by its failure to supply Services or any part thereof on the due date.

7.3 The Company reserves the right to supply Services by instalments and to tender a separate invoice in respect of each instalment.

7.4 When the supply of Services is to be by instalments or the firm exercises its right to supply Services by instalments under clause 7.3 hereof or if there be a delay in the supply of any one or more instalments of Services for whatever reason this will not entitle the Buyer to treat the contract as repudiated or to damages.

7.5 Deviation in the quantity between Services supplied and the Services ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Services or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Services supplied.

## 8. RISK AND THE PASSING OF PROPERTY IN GOODS

8.1 Risk in the Goods shall pass to the Buyer when the Goods are delivered.

8.2 Notwithstanding risk in the Goods passing in accordance with clause 8.1 hereof title in the Goods shall not pass to the Buyer until whichever shall be the first to occur of the following:-

8.2.1 Payment being received by the Company for the Goods and Services and no other amounts then being outstanding from the Buyer to the Company in respect of other Goods or Services supplied by the Company

8.2.2 The Buyer selling the Goods in accordance with the provisions of these terms and conditions in which case title to the Goods shall be deemed to have passed to the Buyer immediately prior to delivery of the Goods to the Buyer's customers; and

8.2.3 The Company waiving its rights under this clause 8.2 in respect of specified Goods or Services whereupon title to the said Goods shall forthwith vest in the Buyer.

8.3 The Buyer is licensed by the Company to use or to agree to sell the Goods delivered to the Buyer subject to the express condition that the entire proceeds of any sale are held in trust for the Company and are not mixed with other moneys or paid into an overdrawn bank account and shall at all times be identifiable as the Company's moneys.

8.4 Until title to the Goods passes:

8.4.1 The Buyer will hold the Goods as fiduciary agent and Bailee for the Company;

8.4.2 the Goods shall, subject to clause 8.3, be kept separate and distinct from all other property of the Buyer and of third parties and in good and substantial repair and condition and be stored in such a way as to be clearly identifiable as belonging to the Company;

8.4.3 the Company may at any time revoke the power of sale and use contained in clause 8.3 by notice to the Buyer if the Buyer is in default beyond the 20th of the month following invoice in the payment of any sum whatsoever due to the Company (whether in respect of the Goods or any other Goods or Services supplied at any time by it to the Buyer) or if the Company has bona fide doubts as to the solvency of the Buyer;

8.4.4 The Buyer's power of sale and use contained in clause 8.3 shall automatically cease if the Buyer has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed or all or any part of its assets or becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceeding under foreign law;

8.4.5 upon determination of the Buyer's power of sale and use pursuant to clause 8.4.3 or clause 8.4.4. The Buyer shall place any of the Goods in its possession or under its control and unsold at the disposal of the Company and the Company shall be entitled to enter upon any premises of the Buyer for the purpose of removing such Goods.

8.5 The Company shall at any time be entitled to appropriate any payments made by the Buyer in respect of any Goods or Services in settlement of such invoices or accounts in respect of such Goods or Services as the Company may in its absolute discretion think fit notwithstanding any purported appropriation to the contrary by the Buyer.

## 9. LIEN AND STOPPAGE

9.1 Until such time as the title in the Goods has passed to the Buyer the Company has the right to withhold delivery if the Buyer (being a Company) has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law.

9.2 When the title in the Goods has passed to the Buyer and the time for payment has fallen due but payment has not been made or if the Buyer (being a Company) has a petition presented for its

winding-up or passes a resolution for voluntary winding-up otherwise than for the purposes of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law the Company has

9.2.1 A lien on the Goods as long as the Company is in possession of them

9.2.2 A right of stoppage in transit

9.2.3 A right of resale

9.3 For the avoidance of doubt it is hereby declared that nothing in this clause shall affect the rights given to the Company by ss.38-48 of the Sale of Goods Act 1979.

## 10. INSPECTION/SHORTAGES

10.1 The Buyer is under a duty to inspect the Goods forthwith on delivery and satisfy himself as to the due performance of Services forthwith upon supply.

10.2 The Company shall be under no liability for any defects or shortages that would be apparent on a careful inspection if the terms of this clause are not complied with, and, in any event will be under no liability if a written complaint is not delivered to the Company within 7 days of delivery or supply detailing the alleged defect or shortage.

10.3 In all cases where defects or shortages in respect of Goods are complained of the Company shall be under no liability in respect thereof unless an opportunity to inspect the Goods is given to the Company before any use is made thereof or any alteration or modification is made thereto by the Buyer.

10.4 Subject to clauses 10.2 and 10.3 the Company shall make good any defect or shortage in the Goods and where appropriate supplied as would but for this condition entitle the Buyer to be able to do so, but otherwise shall be under no liability whatsoever or howsoever arising from such defect, shortage or damage.

10.5 Subject to clause 10.4 the Company shall remedy any defect in the supply of Services as soon as it is reasonably able to do so but otherwise shall be under no liability whatsoever or howsoever arising from such defect

## 11. WARRANTY

11.1 The Buyer shall satisfy himself of the suitability of the Goods or Services for any particular use or purpose and shall be totally responsible

11.2 If the Goods are in such a state or the Services so defectively supplied as would but for this condition entitle the Buyer to repudiate the contract and/or claim damages from the Company the Company reserves the right to repair or replace the Good or perform the Service (or relevant part thereof) again.

## 12. LIABILITY

12.1 Introduction

12.1.1 Nothing in clause 12 shall be deemed to exclude or restrict the Company's liability for death or personal injury resulting from negligence.

12.1.2 Each of the sub-clauses in clause 12 is to be treated as separate and independent

12.1.3 The Company is willing to undertake liability additional to that provided by this clause in exchange for a higher price

12.2 Exclusion

12.2.1 Clause 12.2.1 only covers defects caused by faulty design, manufacture, materials or workmanship. It does not cover defects caused by abnormal use, misuse or neglect.

12.2.2 The Company agrees that if any defect covered by clause 12.2 is discovered during the warranty period commencing with the date of delivery or supply, the Company will remedy any defect at its own expense or, in the case of Goods if it chooses to do so, replace them.

12.2.3 The Buyer cannot claim the benefit of this clause unless - he informs the Company of the relevant defect in writing within 7 working days of discovering it.

12.2.3a The Company will not accept any liability for defects in goods once they have been fitted. It is the Buyer's responsibility to check the goods prior to installation.

12.2.4 The risk of accidental loss whilst the Goods are being returned will be borne by the Buyer

12.2.5 In consideration for receiving the benefit of this clause, the Buyer agrees that, apart from those terms set out in clause 10 and 11, all other terms, whether conditions, warranties or innominate terms, express or implied, statutory or otherwise, are excluded from the contract between the Company and the Buyer to the extent permitted by law (except where the Buyer deals as consumer within section 12 of the Unfair Contract Terms Act 1977 when the terms implied by sections 13, 14 and 15 of the Sale of Goods Act 1979 shall be implied into the contract).

12.3 Exclusion of Consequential Loss

The Company shall not be liable for any consequential or indirect loss suffered by the Buyer whether this loss arises from breach of a duty in contract or tort or in any other way (including loss arising from the Company's negligence).

Non-exhaustive illustrations of consequential or indirect loss would be -

- Loss of profits
- Loss of contracts
- Damage to property of the Buyer or anyone else, and
- Personal injury to the Buyer or anyone else (except so far as such injury is attributable to the Company's negligence)

12.4 Limitation

The Company's total liability for any one claim or for the total of all claims arising from any one act or default of the Company (whether arising from the Company's negligence or otherwise) shall not exceed £1000 Or the contract price whichever is the greater.

## 13. FORCE MAJEURE

13.1 The Company shall not be liable for any failure to deliver the Goods or perform the Services arising from circumstances outside the Company's control.

13.2 Non-exhaustive illustrations of such circumstances would be act of God, war, riot, explosion, abnormal weather conditions, fire, flood, strikes, lockouts, Government action or regulations (UK or otherwise), delay by suppliers, accidents and shortage of materials, labour or manufacturing facilities.

13.3 Should the Company be prevented from delivering the Goods or performing the Services in the above circumstances, it shall give the Buyer written notice of this fact as soon as reasonably practicable after discovering it.

13.4 If the circumstances preventing delivery of the Goods or performing the Services are still continuing three months after the Buyer receives the Company's notice, then either party may give written notice to the other cancelling the contract.

13.5 If the contract is cancelled in this way, the Company will refund any payment which the Buyer has already made an account of the price (subject to deduction of any amount the Company is entitled to claim from the Buyer) but the Company will not be liable to compensate the Buyer for any further loss or damage caused by the failure to deliver the Goods or perform the Services.

## 14. SALES PROMOTION DOCUMENTATION

Whilst the Company takes every precaution in the preparation of its catalogue, technical circulars, price lists and its other literature, these documents are for the Buyer's general guidance only and the particulars contained therein shall not constitute representations by the Company and the Company shall not be bound thereby.

## 15. NOTICES

Any notice to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to the party concerned at its address specified overleaf or such other address as that party may from time to time notify in writing and shall be deemed to have been served, if sent by post, 48 hours after posting.

## 16. CANCELLATION

The Company is prepared to accept the cancellation of a contract provided that it is in writing and is received by the Company:

- In the case of special orders before the manufacture of the goods has commenced;
- In the case of goods ordered from stock before the goods have been despatched;
- But subject to liability for any losses incurred by the Company in disposing of the goods;
- In the event goods have been delivered within 30 days prior to cancellation, a restocking charge of 20% of the goods returned will be made by the company on values above £50 before VAT only.

## 17. MATCHING

For technical reasons it is not always possible to obtain an exact colour match between different production batches which have the same colour description. The Company therefore recommends that all products should be of the same batch. The Company will be under no liability whatsoever in respect of any mismatching of tiles and sheet with the same colour description where the tiles and sheet are of different batches.

## 18. ADVICE AND WARNINGS

(a) Without prejudice to any of the Company's rights under these terms or common law or statute the Company shall not be liable for any loss or damage suffered by the Buyer or any third party as a result of failure to follow any of the Company's recommendations with regard to the goods.

## 19. STILETTO HEELS

Where Stiletto heeled shoes are in use, floors are liable to suffer damage from intense point loading pressure. We therefore cannot be held responsible for any loss in appearance where such heels are in use.

## 20. SUITABILITY OF GOODS

If requested in writing to do so, we will use our utmost endeavours to give sound and honest advice as to the suitability of goods sold by us for a particular use or purpose, but we do not represent or warrant (and nobody has authority to represent or warrant) the fitness of any goods for any particular purpose or use, whether such use or purpose is known to us or not or any advice requested regarding installation.

## 21. ASSIGNMENT

The Buyer shall not assign or purport to assign or transfer the contract or the benefits thereof to any other person without prior written consent of the other.

## 22. PROPER LAW AND JURISDICTION

The Contract shall be governed by and construed in accordance with English law and all disputes arising in connection with the contract shall be submitted to the jurisdiction of the English Courts.

## 23. HEADINGS

The headings of these conditions are for convenience only and shall have no effect on the interpretation thereof.

Revision Date: September 2020

Woodpecker Flooring, Caerphilly CF83 8DR

Tel: 02920 888223

Woodpecker Flooring reserves the right to update and amend these terms and conditions without notice.



## PHOTOGRAPHY PROP CREDITS

(Harlech, Feather Oak)  
Rustic bench – [www.thefigstore.com](http://www.thefigstore.com)

(Design Panels, Sandringham Royal Oak)  
Painting – [www.gallerybr.co.uk](http://www.gallerybr.co.uk)

(Design Panels, Sandringham Antique Oak)  
Paintings – [danhobday.com](http://danhobday.com)

(Goodrich, Smoked Oak)  
Paintings, olive oil jars, wire basket – [www.annefowler.co.uk](http://www.annefowler.co.uk)

(Goodrich, Smoked Oak)  
School chairs – [www.lowlandsbristol.com](http://www.lowlandsbristol.com)

(Goodrich, Natural Oak)  
Sheepskin footstool – [www.gallerybr.co.uk](http://www.gallerybr.co.uk)

(Goodrich, Biscotti Oak)  
Robin Day sideboard – [www.orangeandbrown.co.uk](http://www.orangeandbrown.co.uk)

(Berkeley, Calico Oak)  
Art work, Wooden African bowl – [www.huttdecor.com](http://www.huttdecor.com)

(Berkeley, Charterhouse Oak)  
Wooden bowls – [www.huttdecor.com](http://www.huttdecor.com)  
Pit fired vessels, lamp base – [www.thecornishpotter.com](http://www.thecornishpotter.com)

(Chepstow, Sawn Grey Oak)  
Eclipse desk – [www.chairfurniture](http://www.chairfurniture)

(Design Panels, Clarence Aged Oak)  
Coffee table – [www.modernroom.co.uk](http://www.modernroom.co.uk)  
Carved tribal art – [www.huttdecor.com](http://www.huttdecor.com)

(Goodrich, Ecrú Oak)  
Art work – [www.huttdecor.com](http://www.huttdecor.com)  
Pots, plates, bowls – [www.lilyantiques.co.uk](http://www.lilyantiques.co.uk)

(Goodrich, Raw Oak Chevron)  
Art work by Masako Tobita – [www.cliftoncontemporaryart.co.uk](http://www.cliftoncontemporaryart.co.uk)

(Harlech, Rustic Oak)  
Glass, perspex coffee table – [www.huttdecor.com](http://www.huttdecor.com)

(Highclere, Biscotti Oak)  
Rustic bench – [www.huttdecor.com](http://www.huttdecor.com)

(Highclere, Natural Oak)  
Suede sofa – [www.huttdecor.com](http://www.huttdecor.com)

(Design Panels, Highgrove Limed Oak)  
Calvados bottles – [www.annefowler.co.uk](http://www.annefowler.co.uk)

(York, Rustic Oak)  
Art work by Andrew Bird – [www.cliftoncontemporaryart.co.uk](http://www.cliftoncontemporaryart.co.uk)

(Harlech, Ecrú Oak)  
(Goodrich, Spiced Oak)  
Radiators – [www.reclaimedradiators.co.uk](http://www.reclaimedradiators.co.uk)

PLEASE HELP US CARE FOR  
THE ENVIRONMENT BY  
SHARING OR RECYCLING  
THIS WHEN YOU ARE DONE



# WOODPECKER

NATURALLY INSPIRED FLOORING

---

Woodpecker House,  
26 Pant Glas Industrial Estate,  
Bedwas, Caerphilly  
CF83 8DR

**T:** 02920 888 223  
**F:** 02920 881 694

[info@woodpeckerflooring.co.uk](mailto:info@woodpeckerflooring.co.uk)  
[www.woodpeckerflooring.co.uk](http://www.woodpeckerflooring.co.uk)

Woodpecker Flooring  
1436 South Director St.  
Seattle  
WA 98108

**T:** 206 929-5029

[www.woodpeckerflooring.com](http://www.woodpeckerflooring.com)

**ANY QUESTIONS**  
Our Woodpecker experts  
are ready to help and look  
forward to advising you on  
any element of your project  
by phone, email or livechat.

