# balance collection<sup>®</sup> carpet tiles



#### technical specifications

Product Description Yarn Tile Dimensions Pile Yarn Weight Total Weight Total Thickness Construction Tufts per m2 / Pile Density Backing Description Wear Classification Luxury Rating Class Flammability Thermal Resistance Castor Chair Rating Hexapod Static Loading Dynamic Loading Body Voltage Test Colour Fastness To Light Colour Fastness To Shampoo Sound Absorption Coefficient	Carbon Neutral Designer Loop Universal Fibers® Thrive® matter carbon negative recycled yarn 50cm x 50cm 628g/m <sup>2</sup> 4028g/m <sup>2</sup> 7.0mm Tufted 1/12th gauge loop 226,771/m <sup>2</sup> BioBase® recycled backing (recycled BS EN ISO 14021) Class 33 heavy commercial use (BS EN 1307) LC2 Euroclass Bfl-s1 Tog Rating: 0.42 Pass - continuous use (BS EN 985) BS ISO 10361: Method B:2000 3 to 4 BS 4939: 1987 (2003) Recovery >80% (24hrs) BS ISO 2094: 1999 (2005) Loss <20% (1000 impacts) BS ISO 6356:2000 <2kV BS EN ISO 105 - B02 Minimum Grade 6 BS 1006:UK-TB: 1990 Minimum Grade 4-5 BS EN 354:2003	n I I monolithic
Sound Absorption Coefficient	BS EN 354:2003	
Reduction in Impact Noise Reduction in Impact Noise at 1000Hz	BS EN ISO 10140-3:2010 23dB BS EN ISO 10140-3:2010 41.2dB	
Number Of Tiles Per Box VOC	20 (5m2) Class A+	
Warranty	15 years	
		2895-CPR-SH00877 0338-CPR-1005   EN 14041/2004 EN 14041/2004   /AC:2006 /AC:2006   (AC:2006 (AC:2006   (AC:2006 (AC:2006   (AC:2006 (AC:2006

## eco<sup>°</sup> matters<sup>®</sup>

We are committed to helping deliver a sustainable future, because we believe that what we do matters. To help us deliver on this commitment, we have developed ecommatters\* sustainability goals, supported by the independently 3rd party verified ecomatters® ecosystem.

balance collection®

balance collection<sup>®</sup> uses Universal Fibers® Thrive®

matter yarn which is C2C

Certified Material Health

balance collection<sup>®</sup> uses

BioBase® recycled backing

LEED


is carbon neutral

Certificate™ Silver

NET ZERO		
Journey to Net Zero	Positive Environmental Impact	Social Values & Well Being

FM 01440 EMS 784147

Made from Universal Fibers® Thrive® matter yarn, the world's first carbon negative recycled yarn, which is C2C Certified Material Health Certificate™ Silver and our unique BioBase® recycled backing, balance collection® is carbon neutral. The collection is comprised of balance grid<sup>®</sup>, balance ratio<sup>®</sup> and balance scale<sup>®</sup>. All three designs work independently as well as together, and with 48 options, makes delineating interior zones easy and effortless.



EPD

Burmatex<sup>®</sup> products are supported by 3rd party independently verified, product specific EPD's

Contact Us T +44 (0) 1924 262 525 email: sales@burmatex.co.uk

Burmatex Ltd Victoria Mills, The Green Ossett. West Yorkshire WF5 OAN, United Kingdom

accreditation

Burmatex<sup>®</sup> products

contribute towards Leed

service 100% certified renewable

take back



SKA Burmatex<sup>®</sup> products adhere to SKA standards Burmatex<sup>®</sup> recovery take back service provides a no landfill solution for your used tiles

Burmatex<sup>®</sup> products are made using 100% certified renewable electricity

ecomatters<sup>®</sup> declarations are independently 3rd party verified

WELL Building Standards Burmatex<sup>®</sup> products contribute to WELL Building Standards

This shade card is the property of Burmatex® Made from eco laminate and 100% recyclable card

Burmatex reserves the right to improve the specification of all products without prior notification. E&OE Burmatex carpets, carpet tiles and carpet planks should be installed and used in full accordance with instructions at www.burmatex.co.uk and recognised trade standards. Orders are subject to Burmatex terms and conditions of sale. See: www.burmatex.co.u

## balance grid<sup>®</sup> carpet tiles



### LRV values

Product code	Product colour name	CIE Y
35405	crisp air	19.67
35406	steel effect	12.37
35407	morning harbour	11.15
35408	tower metal	5.56
35401	light neutral	20.65
35402	concrete wood	13.01
35403	glazed tone	13.95
35404	brown leaf	7.32
35413	highline moss	12.87
35414	dusk glow	22.77
35415	apricot beam	13.46
35416	district red	5.41
35409	aqua skyline	18.26
35410	block blue	6.87
35411	lilac view	10.15
35412	dark shadow	2.53



### balance ratio<sup>®</sup> carpet tiles



### LRV values

Product code	Product colour name	CIE Y
35505	clean air	19.02
35506	stone effect	12.79
35507	dewy harbour	10.46
35508	city metal	5.69
35501	soft neutral	20.31
35502	shaded wood	12.85
35503	golden tone	12.64
35504	fallen leaf	7.68
35513	greenery moss	13.74
35514	dawn glow	22.55
35515	apricot mural	14.49
35516	vibrant red	5.52
35509	aqua vapour	19.45
35510	reflection blue	7.60
35511	lilac rush	9.33
35512	night shadow	2.49



### balance scale<sup>®</sup> carpet tiles



### LRV values

Product code	Product colour name	CIE Y
35605	fresh air	19.21
35606	chrome effect	13.71
35607	tranquil harbour	12.07
35608	twilight metal	5.94
35601	calm neutral	24.06
35602	smoky wood	13.76
35603	wicker tone	13.90
35604	autumn leaf	8.06
35613	alfresco moss	16.05
35614	sunny glow	24.41
35615	apricot shine	15.67
35616	spark red	5.60
35609	aqua space	20.19
35610	river blue	7.75
35611	lilac zone	9.82
35612	central shadow	2.87

